

Data File : VV011824.D
Acq On : 03 Jul 2019 11:19
Operator : SY/MD
Sample : K3608-08DL 4X
Misc : 25ML/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAML7DL

Quant Time: Jul 04 00:11:55 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR070219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jul 03 23:52:56 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	176581	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	168630	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	73786	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	53311	4.48	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.60%
7) Chloroethane-d5	1.57	69	33134	3.63	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	72.60%
11) 1,1-Dichloroethene-d2	2.12	63	80319	3.46	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.20%
20) 2-Butanone-d5	3.95	46	144919	49.38	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.76%
24) Chloroform-d	4.40	84	105143	4.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.20%
26) 1,2-Dichloroethane-d4	5.08	65	56798	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.80%
32) Benzene-d6	5.10	84	210428	4.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.00%
36) 1,2-Dichloropropane-d6	6.12	67	65631	4.70	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.00%
41) Toluene-d8	7.36	98	178733	4.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.60%
43) trans-1,3-Dichloropropene-	7.67	79	20283	4.20	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.00%
46) 2-Hexanone-d5	8.14	63	105801	47.56	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	95.12%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	42425	4.31	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.20%
64) 1,2-Dichlorobenzene-d4	11.67	152	64867	4.98	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.60%

Target Compounds						Qvalue
34) Trichloroethene	5.96	95	72515	5.552	ug/L	95
47) Tetrachloroethene	8.02	164	14447	1.406	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV011824.D
Acq On : 03 Jul 2019 11:19
Operator : SY/MD
Sample : K3608-08DL 4X
Misc : 25ML/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAML7DL

Quant Time: Jul 04 00:11:55 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR070219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jul 03 23:52:56 2019
Response via : Initial Calibration

