

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV070522\
 Data File : VV026643.D
 Acq On : 05 Jul 2022 14:43
 Operator : SY/MD
 Sample : N3506-09
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AM5

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 07/06/2022
 Supervised By :Mahesh Dadoda 07/06/2022

Quant Time: Jul 06 00:24:36 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR062322WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jul 06 00:22:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.625	114	188077	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	183756	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	74999	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.317	65	49926	3.301	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	66.000%
7) Chloroethane-d5	1.580	69	50171	4.129	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.600%
11) 1,1-Dichloroethene-d2	2.117	63	74365	2.767	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.400%#
20) 2-Butanone-d5	3.928	46	104316	69.370	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	138.740%#
24) Chloroform-d	4.358	84	121986	4.934	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.600%
26) 1,2-Dichloroethane-d4	5.043	65	49778	5.227	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.600%
32) Benzene-d6	5.059	84	207825	3.937	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.800%
36) 1,2-Dichloropropane-d6	6.075	67	70697	4.871	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.400%
41) Toluene-d8	7.320	98	161986	3.413	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	68.200%#
43) trans-1,3-Dichloroprop...	7.628	79	15653	4.172	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.400%
46) 2-Hexanone-d5	8.091	63	74383	52.053	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.100%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	51329	5.406	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	108.200%
66) 1,2-Dichlorobenzene-d4	11.625	152	61937	4.990	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.800%
Target Compounds					Qvalue	
13) Acetone	2.214	43	7175m	7.521	ug/L	
14) Carbon disulfide	2.307	76	5043	0.150	ug/L #	92
25) Chloroform	4.387	83	45281	1.819	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV070522\
Data File : VV026643.D
Acq On : 05 Jul 2022 14:43
Operator : SY/MD
Sample : N3506-09
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
C0AM5

Quant Time: Jul 06 00:24:36 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR062322WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jul 06 00:22:14 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Krupa Patel 07/06/2022
Supervised By :Mahesh Dadoda 07/06/2022





#13
Acetone
Concen: 7.521 ug/L m
RT: 2.214 min Scan# 30
Delta R.T. 0.013 min
Lab File: VV026643.D
Acq: 05 Jul 2022 14:43




Instrument :
MSVOA_V
ClientSampleId :
C0AM5




Tgt Ion: 43 Resp: 717
Ion Ratio Lower Upper
43 100
58 25.4 0.0 75.0

Manual Integrations
APPROVED



Reviewed By :Krupa Patel 07/06/2022
Supervised By :Mahesh Dadoda 07/06/2022




#14
Carbon disulfide
Concen: 0.150 ug/L
RT: 2.307 min Scan# 394
Delta R.T. -0.000 min
Lab File: VV026643.D
Acq: 05 Jul 2022 14:43



Tgt Ion: 76 Resp: 5043
Ion Ratio Lower Upper
76 100
78 12.5 7.8 11.6#





#25
 Chloroform
 Concen: 1.819 ug/L
 RT: 4.387 min Scan# 1041
 Delta R.T. -0.000 min
 Lab File: VV026643.D
 Acq: 05 Jul 2022 14:43

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AM5

Tgt Ion: 83 Resp: 4528
 Ion Ratio Lower Upper
 83 100
 85 64.7 44.0 81.8

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 07/06/2022
 Supervised By :Mahesh Dadoda 07/06/2022

