

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV070620\  
 Data File : VV017350.D  
 Acq On : 06 Jul 2020 14:29  
 Operator : SY/MD  
 Sample : L3154-13  
 Misc : 25.0mL/MSVOA V/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 H4273

Quant Time: Jul 07 02:30:10 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR061720WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Tue Jul 07 01:14:17 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.64  | 114  | 160255   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.87  | 117  | 157208   | 5.00 | ug/L  | 0.00     |
| 61) 1,4-Dichlorobenzene-d4 | 11.27 | 152  | 76244    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.32   | 65    | 39448    | 4.10     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 82.00%  |
| 7) Chloroethane-d5             | 1.58   | 69    | 34696    | 4.96     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 99.20%  |
| 11) 1,1-Dichloroethene-d2      | 2.13   | 63    | 60089    | 3.28     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 65.60%  |
| 20) 2-Butanone-d5              | 3.93   | 46    | 116354   | 47.47    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 94.94%  |
| 24) Chloroform-d               | 4.38   | 84    | 100714   | 4.89     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 97.80%  |
| 26) 1,2-Dichloroethane-d4      | 5.06   | 65    | 57163    | 5.24     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 104.80% |
| 32) Benzene-d6                 | 5.08   | 84    | 172798   | 4.24     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 84.80%  |
| 36) 1,2-Dichloropropane-d6     | 6.10   | 67    | 52349    | 4.29     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 85.80%  |
| 41) Toluene-d8                 | 7.34   | 98    | 158564   | 4.14     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 82.80%  |
| 45) trans-1,3-Dichloropropene- | 7.65   | 79    | 19553    | 3.85     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 77.00%  |
| 48) 2-Hexanone-d5              | 8.11   | 63    | 83421    | 43.05    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 86.10%  |
| 59) 1,1,2,2-Tetrachloroethane- | 10.24  | 84    | 41026    | 5.06     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 101.20% |
| 65) 1,2-Dichlorobenzene-d4     | 11.65  | 152   | 67267    | 4.77     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 95.40%  |

## Target Compounds

|                              |      |    |        |              | Ovalue |
|------------------------------|------|----|--------|--------------|--------|
| 5) Vinyl chloride            | 1.32 | 62 | 238092 | 22.641 ug/L  | 99     |
| 18) trans-1,2-Dichloroethene | 2.78 | 96 | 16984  | 2.084 ug/L   | 94     |
| 19) 1,1-Dichloroethane       | 3.21 | 63 | 2540   | 0.139 ug/L   | 91     |
| 22) cis-1,2-Dichloroethene   | 3.94 | 96 | 58135  | 5.216 ug/L   | 97     |
| 30) Cyclohexane              | 4.71 | 56 | 1885   | 0.105 ug/L # | 20     |
| 34) Trichloroethene          | 5.95 | 95 | 2456   | 0.204 ug/L   | 90     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV070620\  
Data File : VV017350.D  
Acq On : 06 Jul 2020 14:29  
Operator : SY/MD  
Sample : L3154-13  
Misc : 25.0mL/MSVOA V/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
H4273

Quant Time: Jul 07 02:30:10 2020  
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR061720WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Tue Jul 07 01:14:17 2020  
Response via : Initial Calibration

