

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV070920\
 Data File : VV017404.D
 Acq On : 09 Jul 2020 17:35
 Operator : SY/MD
 Sample : L3254-08
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4A55

Manual Integrations
 APPROVED

MMDadoda
 7/10/2020 1:01:26 PM

Quant Time: Jul 10 04:44:07 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM070820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 10 04:00:27 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	253615	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	240638	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	116981	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	56374	42.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.40%
7) Chloroethane-d5	1.58	69	42508	45.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.66%
11) 1,1-Dichloroethene-d2	2.12	63	98470	32.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.88%
21) 2-Butanone-d5	3.91	46	82721	91.73	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.73%
24) Chloroform-d	4.38	84	137343	44.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.94%
26) 1,2-Dichloroethane-d4	5.06	65	100845	48.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.22%
32) Benzene-d6	5.08	84	246767	47.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.94%
36) 1,2-Dichloropropane-d6	6.09	67	72554	48.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.94%
41) Toluene-d8	7.34	98	229670	45.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.92%
43) trans-1,3-Dichloropropene-	7.64	79	40086	46.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.02%
47) 2-Hexanone-d5	8.11	63	56914	92.64	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.64%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	97011	46.16	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.32%
64) 1,2-Dichlorobenzene-d4	11.65	152	100373	51.32	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.64%

Target Compounds

					Ovalue
13) Acetone	2.19	43	2333	1.900 ug/L	55
20) cis-1,2-Dichloroethene	3.95	96	6372m	3.590 ug/L	
46) Tetrachloroethene	8.00	164	7176	4.525 ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV070920\
Data File : VV017404.D
Acq On : 09 Jul 2020 17:35
Operator : SY/MD
Sample : L3254-08
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 14 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
F4A55

Manual Integrations
APPROVED

MMDadoda
7/10/2020 1:01:26 PM

Quant Time: Jul 10 04:44:07 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM070820WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 10 04:00:27 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.900 ug/L

RT: 2.19 min Scan# 343

Delta R.T. 0.01 min

Lab File: VV017404.D

Acq: 09 Jul 2020 17:35

Instrument :

MSVOA_V

ClientSampled :

F4A55

Tot Ion: 43 Resp: 2333

Ion Ratio Lower Upper

43 100


58 4.3 0.0 56.0

Manual Integrations

APPROVED

MMDadoda

7/10/2020 1:01:26 PM



Abundance Ion 43.00 (42.70 to 43.70): VV017393.D (-329) (-)

Ion 58.00 (57.70 to 58.70): VV017393.D (-329) (-)



1500

1000

500

0

Time-->



#20

cis-1,2-Dichloroethene

Concen: 3.590 ug/L m

RT: 3.95 min Scan# 889

Delta R.T. 0.02 min

Lab File: VV017404.D

Acq: 09 Jul 2020 17:35


Tgt Ion: 96 Resp: 6372

Ion Ratio Lower Upper

96 100

61 126.7 88.9 165.1

68 0.0 0.0 0.0



Abundance Ion 96.00 (95.70 to 96.70): VV017393.D (-868) (-)

Ion 61.00 (60.70 to 61.70): VV017393.D (-868) (-)

Ion 68.00 (67.70 to 68.70): VV017393.D (-868) (-)

4000


3000




2000

1000

0

Time-->





#46

Tetrachloroethene

Concen: 4.525 ug/L

RT: 8.00 min Scan# 2149

Delta R.T. 0.00 min

Lab File: VV017404.D

Acq: 09 Jul 2020 17:35


Tot Ion:	164	Resp:	7176
Ion	Ratio	Lower	Upper
164	100		
129	86.3	66.6	123.8
131	82.5	65.5	121.7
166	121.7	93.9	174.5

Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V



Instrument :
MSVOA_V
ClientSampleId :
F4A55

Manual Integrations
APPROVED

MMDadoda
7/10/2020 1:01:26 PM