

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV071020\
 Data File : VV017432.D
 Acq On : 10 Jul 2020 12:14
 Operator : SY/MD
 Sample : L3253-21
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Jul 11 00:24:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM070820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jul 11 00:23:19 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	280221	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	268104	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	131120	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	59371	40.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.40%
7) Chloroethane-d5	1.58	69	43345	42.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.60%
11) 1,1-Dichloroethene-d2	2.12	63	102778	31.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.24%
21) 2-Butanone-d5	3.90	46	93710	94.05	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.05%
24) Chloroform-d	4.37	84	147254	43.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.28%
26) 1,2-Dichloroethane-d4	5.05	65	110308	47.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.26%
32) Benzene-d6	5.07	84	258647	44.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.32%
36) 1,2-Dichloropropane-d6	6.09	67	75795	45.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.90%
41) Toluene-d8	7.34	98	245749	44.14	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.28%
43) trans-1,3-Dichloropropene-	7.64	79	43569	44.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.76%
47) 2-Hexanone-d5	8.11	63	61960	90.52	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.52%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	102484	43.77	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	87.54%
64) 1,2-Dichlorobenzene-d4	11.65	152	106617	48.63	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.26%


Target Compounds					Ovalue
39) cis-1,3-Dichloropropene	7.01	75	3261	1.104 ug/L	# 68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV071020\
Data File : VV017432.D
Acq On : 10 Jul 2020 12:14
Operator : SY/MD
Sample : L3253-21
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Jul 11 00:24:47 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM070820WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jul 11 00:23:19 2020
Response via : Initial Calibration





#39

cis-1,3-Dichloropropene

Concen: 1.104 ug/L

RT: 7.01 min Scan# 1840

Delta R.T. -0.04 min

Lab File: VV017432.D

Acq: 10 Jul 2020 12:14

Instrument :

MSVOA_V

ClientSampleId :

VHBLK01

Tot Ion: 75 Resp: 3261

Ion Ratio Lower Upper

75 100

77 49.5 22.2 41.2#

