

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV071318\
 Data File : VV006602.D
 Acq On : 13 Jul 2018 19:30
 Operator : SY/MD
 Sample : J3920-06
 Misc : 25 mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Jul 14 01:59:03 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR070718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jul 14 00:30:59 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	301772	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	276102	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	118328	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	96521	5.88	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	117.60%
7) Chloroethane-d5	1.58	69	77875	5.44	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	108.80%
11) 1,1-Dichloroethene-d2	2.13	63	123509	4.05	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	81.00%
20) 2-Butanone-d5	3.98	46	203672	48.87	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	97.74%
24) Chloroform-d	4.41	84	159660	4.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.00%
26) 1,2-Dichloroethane-d4	5.09	65	78192	5.21	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.20%
32) Benzene-d6	5.10	84	353497	5.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	112.20%
36) 1,2-Dichloropropane-d6	6.12	67	106627	5.22	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.40%
41) Toluene-d8	7.37	98	310639	5.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.40%
43) trans-1,3-Dichloropropene-	7.67	79	33305	4.81	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.20%
46) 2-Hexanone-d5	8.14	63	171467	49.01	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.02%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	74778	4.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.00%
64) 1,2-Dichlorobenzene-d4	11.68	152	112443	5.52	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	110.40%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV071318\
Data File : VV006602.D
Acq On : 13 Jul 2018 19:30
Operator : SY/MD
Sample : J3920-06
Misc : 25 mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Jul 14 01:59:03 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR070718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jul 14 00:30:59 2018
Response via : Initial Calibration

