

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV071320\
 Data File : VV017469.D
 Acq On : 13 Jul 2020 14:51
 Operator : SY/MD
 Sample : L3270-21
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Jul 14 06:13:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM070820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 14 05:08:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	312631	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	291673	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	146210	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	75280	46.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.50%
7) Chloroethane-d5	1.58	69	57593	50.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.74%
11) 1,1-Dichloroethene-d2	2.12	63	121490	32.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.94%
21) 2-Butanone-d5	3.91	46	94440	84.95	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	84.95%
24) Chloroform-d	4.38	84	160069	42.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.04%
26) 1,2-Dichloroethane-d4	5.06	65	118543	45.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.76%
32) Benzene-d6	5.07	84	286906	45.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.08%
36) 1,2-Dichloropropane-d6	6.09	67	82630	45.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.08%
41) Toluene-d8	7.34	98	273972	45.23	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.46%
43) trans-1,3-Dichloropropene-	7.64	79	46553	44.08	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.16%
47) 2-Hexanone-d5	8.11	63	62985	84.59	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.59%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	103049	40.45	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	80.90%
64) 1,2-Dichlorobenzene-d4	11.65	152	114859	46.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.96%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV071320\
Data File : VV017469.D
Acq On : 13 Jul 2020 14:51
Operator : SY/MD
Sample : L3270-21
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Jul 14 06:13:08 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM070820WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 14 05:08:48 2020
Response via : Initial Calibration

