

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV071420\  
 Data File : VV017478.D  
 Acq On : 14 Jul 2020 12:27  
 Operator : SY/MD  
 Sample : VV0714WBL01  
 Misc : 25.0mL/MSVOA V/WATER  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 VBLK33

Quant Time: Jul 15 03:22:30 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR071420WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Wed Jul 15 02:49:58 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.64  | 114  | 142616   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.87  | 117  | 135118   | 5.00 | ug/L  | 0.00     |
| 61) 1,4-Dichlorobenzene-d4 | 11.27 | 152  | 67076    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.31   | 65    | 39188    | 4.72     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 94.40%  |
| 7) Chloroethane-d5             | 1.58   | 69    | 31006    | 4.70     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 94.00%  |
| 11) 1,1-Dichloroethene-d2      | 2.12   | 63    | 63201    | 3.48     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 69.60%  |
| 20) 2-Butanone-d5              | 3.96   | 46    | 71315    | 41.89    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 83.78%  |
| 24) Chloroform-d               | 4.38   | 84    | 87767    | 4.72     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 94.40%  |
| 26) 1,2-Dichloroethane-d4      | 5.06   | 65    | 51719    | 5.23     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 104.60% |
| 32) Benzene-d6                 | 5.07   | 84    | 157339   | 5.03     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 100.60% |
| 36) 1,2-Dichloropropane-d6     | 6.09   | 67    | 43248    | 5.00     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 100.00% |
| 41) Toluene-d8                 | 7.34   | 98    | 149067   | 4.90     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 98.00%  |
| 45) trans-1,3-Dichloropropene- | 7.64   | 79    | 20010    | 4.76     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 95.20%  |
| 48) 2-Hexanone-d5              | 8.12   | 63    | 58108    | 46.32    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 92.64%  |
| 59) 1,1,2,2-Tetrachloroethane- | 10.24  | 84    | 29397    | 4.79     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 95.80%  |
| 65) 1,2-Dichlorobenzene-d4     | 11.65  | 152   | 61166    | 5.33     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 106.60% |

| Target Compounds | Ovalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV071420\  
Data File : VV017478.D  
Acq On : 14 Jul 2020 12:27  
Operator : SY/MD  
Sample : VV0714WBL01  
Misc : 25.0mL/MSVOA V/WATER  
ALS Vial : 9 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
VBLK33

Quant Time: Jul 15 03:22:30 2020  
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR071420WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Wed Jul 15 02:49:58 2020  
Response via : Initial Calibration

