




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV071422\
 Data File : VV026774.D
 Acq On : 14 Jul 2022 13:42
 Operator : SY/MD
 Sample : N3658-07DL 20X
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AJ1DL

Manual IntegrationsAPPROVED

Quant Time: Jul 15 06:42:44 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR071122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jul 15 06:40:32 2022
 Response via : Initial Calibration

Reviewed By :Krupa Patel 07/15/2022
 Supervised By :Mahesh Dadoda 07/15/2022



TIC: VV026774.D\data.ms

(49) Dibromochloromethane (T)

7.973min (-0.270) 6.08 ug/L

response 92318

Ion	Exp%	Act%
128.95	100.00	100.00
126.90	79.60	0.00#
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV071422\
 Data File : VV026774.D
 Acq On : 14 Jul 2022 13:42
 Operator : SY/MD
 Sample : N3658-07DL 20X
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AJ1DL

Manual IntegrationsAPPROVED

Reviewed By :Krupa Patel 07/15/2022
 Supervised By :Mahesh Dadoda 07/15/2022

Quant Time: Jul 15 06:42:44 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR071122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jul 15 06:40:32 2022
 Response via : Initial Calibration



TIC: VV026774.D\data.ms

(49) Dibromochloromethane (T)

8.246min (+ 0.003) 0.14 ug/L m

response 2082

Ion	Exp%	Act%
128.95	100.00	100.00
126.90	79.60	77.13
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV071422\
 Data File : VV026774.D
 Acq On : 14 Jul 2022 13:42
 Operator : SY/MD
 Sample : N3658-07DL 20X
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AJ1DL

Manual IntegrationsAPPROVED

Quant Time: Jul 15 06:42:44 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR071122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jul 15 06:40:32 2022
 Response via : Initial Calibration

Reviewed By :Krupa Patel 07/15/2022
 Supervised By :Mahesh Dadoda 07/15/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	215860	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	225288	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	87225	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	76361	3.878	ug/L	0.00
Spiked Amount 5.000	Range 40	- 130	Recovery	=	77.600%	
7) Chloroethane-d5	1.561	69	75027	4.409	ug/L	0.00
Spiked Amount 5.000	Range 65	- 130	Recovery	=	88.200%	
11) 1,1-Dichloroethene-d2	2.098	63	109676	2.901	ug/L	0.00
Spiked Amount 5.000	Range 60	- 125	Recovery	=	58.000%#	
20) 2-Butanone-d5	3.905	46	153736	50.020	ug/L	0.00
Spiked Amount 50.000	Range 40	- 130	Recovery	=	100.040%	
24) Chloroform-d	4.342	84	172164	5.000	ug/L	0.00
Spiked Amount 5.000	Range 70	- 125	Recovery	=	100.000%	
26) 1,2-Dichloroethane-d4	5.031	65	80548	5.355	ug/L	0.00
Spiked Amount 5.000	Range 70	- 130	Recovery	=	107.000%	
32) Benzene-d6	5.047	84	298029	4.354	ug/L	0.00
Spiked Amount 5.000	Range 70	- 125	Recovery	=	87.000%	
36) 1,2-Dichloropropane-d6	6.069	67	102384	4.988	ug/L	0.00
Spiked Amount 5.000	Range 60	- 140	Recovery	=	99.800%	
41) Toluene-d8	7.313	98	211220	3.476	ug/L	0.00
Spiked Amount 5.000	Range 70	- 130	Recovery	=	69.600%#	
43) trans-1,3-Dichloroprop...	7.625	79	26279	3.913	ug/L	0.00
Spiked Amount 5.000	Range 55	- 130	Recovery	=	78.200%	
46) 2-Hexanone-d5	8.088	63	142479	49.004	ug/L	0.00
Spiked Amount 50.000	Range 45	- 130	Recovery	=	98.000%	
56) 1,1,2,2-Tetrachloroeth...	10.214	84	81156	5.075	ug/L	0.00
Spiked Amount 5.000	Range 65	- 120	Recovery	=	101.600%	
66) 1,2-Dichlorobenzene-d4	11.625	152	80015	5.265	ug/L	0.00
Spiked Amount 5.000	Range 80	- 120	Recovery	=	105.400%	
Target Compounds						
5) Vinyl chloride	1.304	62	3077	0.115	ug/L #	22
22) cis-1,2-Dichloroethene	3.908	96	20792	1.185	ug/L	91
34) Trichloroethene	5.918	95	10326	0.558	ug/L	96
47) Tetrachloroethene	7.973	164	95653	6.588	ug/L	98
49) Dibromochloromethane	8.246	129	2082m	0.137	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV071422\
Data File : VV026774.D
Acq On : 14 Jul 2022 13:42
Operator : SY/MD
Sample : N3658-07DL 20X
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AJ1DL

Manual IntegrationsAPPROVED

Quant Time: Jul 15 06:42:44 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR071122WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jul 15 06:40:32 2022
Response via : Initial Calibration

Reviewed By :Krupa Patel 07/15/2022
Supervised By :Mahesh Dadoda 07/15/2022

