

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV071719\
 Data File : VV011913.D
 Acq On : 17 Jul 2019 15:46
 Operator : SY/MD
 Sample : K3823-02DL 5X
 Misc : 25ML/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A52Q9DL

Quant Time: Jul 18 03:39:16 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR071719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jul 18 02:17:52 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	157078	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	151614	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	66673	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	59899	5.19	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	103.80%
7) Chloroethane-d5	1.58	69	50568	5.29	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	105.80%
11) 1,1-Dichloroethene-d2	2.13	63	68096	3.61	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.20%
20) 2-Butanone-d5	3.94	46	149548	51.33	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.66%
24) Chloroform-d	4.40	84	113855	4.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.40%
26) 1,2-Dichloroethane-d4	5.08	65	60786	5.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.40%
32) Benzene-d6	5.10	84	231791	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.00%
36) 1,2-Dichloropropane-d6	6.12	67	70742	5.23	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.60%
41) Toluene-d8	7.36	98	197243	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.00%
43) trans-1,3-Dichloropropene-	7.67	79	22483	4.49	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.80%
46) 2-Hexanone-d5	8.13	63	94443	46.91	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.82%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	40205	4.74	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.80%
64) 1,2-Dichlorobenzene-d4	11.67	152	71122	5.34	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.80%


Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	3.96	96	124010	10.234 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV071719\
Data File : VV011913.D
Acq On : 17 Jul 2019 15:46
Operator : SY/MD
Sample : K3823-02DL 5X
Misc : 25ML/MSVOA V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A52Q9DL

Quant Time: Jul 18 03:39:16 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR071719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jul 18 02:17:52 2019
Response via : Initial Calibration





#22

cis-1,2-Dichloroethene

Concen: 10.234 ug/L

RT: 3.96 min Scan# 894

Delta R.T. 0.00 min

Lab File: VV011913.D

Acq: 17 Jul 2019 15:46

Instrument :
MSVOA_V
ClientSampleId :
A52Q9DL


Tot Ion: 96 Resp: 124010

Ion Ratio Lower Upper

96 100

61 140.9 95.2 176.8

68 0.0 0.0 0.0



Abundance Ion 96.00 (95.70 to 96.70): VV0
Ion 61.05 (60.75 to 61.75): VV0
Ion 68.15 (67.85 to 68.85): VV0

