

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV071819\  
 Data File : VV011943.D  
 Acq On : 18 Jul 2019 19:07  
 Operator : SY/MD  
 Sample : K3823-15DL 50X  
 Misc : 25ML/MSVOA V/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 A52R0DL

Quant Time: Jul 19 07:06:35 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR071719WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Fri Jul 19 05:34:55 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.67  | 114  | 133294   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.90  | 117  | 128908   | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.30 | 152  | 58581    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.32   | 65    | 30726    | 3.14     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 62.80%  |
| 7) Chloroethane-d5             | 1.58   | 69    | 27035    | 3.33     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 66.60%  |
| 11) 1,1-Dichloroethene-d2      | 2.13   | 63    | 51160    | 3.19     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 63.80%  |
| 20) 2-Butanone-d5              | 3.95   | 46    | 128336   | 51.91    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 103.82% |
| 24) Chloroform-d               | 4.40   | 84    | 98843    | 5.04     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 100.80% |
| 26) 1,2-Dichloroethane-d4      | 5.08   | 65    | 55521    | 5.51     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 110.20% |
| 32) Benzene-d6                 | 5.10   | 84    | 192895   | 5.14     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 102.80% |
| 36) 1,2-Dichloropropane-d6     | 6.12   | 67    | 58318    | 5.07     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 101.40% |
| 41) Toluene-d8                 | 7.36   | 98    | 165554   | 4.84     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 96.80%  |
| 43) trans-1,3-Dichloropropene- | 7.67   | 79    | 20980    | 4.93     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 98.60%  |
| 46) 2-Hexanone-d5              | 8.14   | 63    | 83878    | 49.00    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 98.00%  |
| 57) 1,1,2,2-Tetrachloroethane- | 10.26  | 84    | 36215    | 5.02     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 100.40% |
| 64) 1,2-Dichlorobenzene-d4     | 11.67  | 152   | 65981    | 5.64     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 112.80% |

## Target Compounds

|                            |      |    |        |             | Ovalue |
|----------------------------|------|----|--------|-------------|--------|
| 5) Vinyl chloride          | 1.32 | 62 | 30355  | 2.385 ug/L  | 98     |
| 22) cis-1,2-Dichloroethene | 3.96 | 96 | 125196 | 12.175 ug/L | 97     |
| 34) Trichloroethene        | 5.96 | 95 | 8913   | 0.795 ug/L  | 86     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV071819\  
Data File : VV011943.D  
Acq On : 18 Jul 2019 19:07  
Operator : SY/MD  
Sample : K3823-15DL 50X  
Misc : 25ML/MSVOA V/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
A52R0DL

Quant Time: Jul 19 07:06:35 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR071719WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Fri Jul 19 05:34:55 2019  
Response via : Initial Calibration

