

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV072020\
 Data File : VV017545.D
 Acq On : 20 Jul 2020 15:27
 Operator : SY/MD
 Sample : L3336-12
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 PMW-8D

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM072020WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.315	64	70	80	rBV	96553	99341	11.12%	1.384%
2	1.576	146	151	159	rVB	74643	78065	8.74%	1.088%
3	2.122	312	321	337	rBV	179665	271277	30.38%	3.779%
4	2.839	542	544	546	rBV	513	192	0.02%	0.003%
5	2.881	554	557	558	rBV	581	314	0.04%	0.004%
6	2.917	563	568	570	rBV	318	278	0.03%	0.004%
7	2.952	577	579	580	rBV	461	212	0.02%	0.003%
8	2.974	584	586	590	rVV3	526	374	0.04%	0.005%
9	2.994	590	592	598	rVB4	847	689	0.08%	0.010%
10	3.016	598	599	601	rBV2	511	274	0.03%	0.004%
11	3.042	605	607	611	rVB2	803	515	0.06%	0.007%
12	3.064	611	614	616	rBV3	813	423	0.05%	0.006%
13	3.077	616	618	620	rBV2	300	96	0.01%	0.001%
14	3.087	620	621	622	rBV	251	87	0.01%	0.001%
15	3.122	631	632	634	rVB	354	116	0.01%	0.002%
16	3.138	634	637	638	rBV	656	238	0.03%	0.003%
17	3.151	638	641	643	rVV	749	517	0.06%	0.007%
18	3.174	646	648	650	rVV2	629	351	0.04%	0.005%
19	3.193	650	654	657	rVB2	535	476	0.05%	0.007%
20	3.280	680	681	684	rBV2	889	506	0.06%	0.007%
21	3.299	684	687	690	rVV3	1174	737	0.08%	0.010%
22	3.376	708	711	712	rBV2	610	324	0.04%	0.005%
23	3.450	729	734	737	rBV4	642	671	0.08%	0.009%
24	3.492	744	747	748	rBV	489	259	0.03%	0.004%
25	3.531	756	759	760	rBV	403	191	0.02%	0.003%
26	3.563	767	769	771	rVB2	710	298	0.03%	0.004%
27	3.582	771	775	778	rBV2	269	209	0.02%	0.003%
28	3.608	781	783	787	rVB	653	374	0.04%	0.005%
29	3.624	787	788	791	rBV2	390	231	0.03%	0.003%
30	3.656	792	798	801	rVB3	669	589	0.07%	0.008%
31	3.682	804	806	810	rVB3	610	487	0.05%	0.007%
32	3.711	810	815	817	rBV3	705	616	0.07%	0.009%
33	3.746	824	826	828	rBV2	403	196	0.02%	0.003%
34	3.772	831	834	836	rVB3	630	332	0.04%	0.005%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV072020\
 Data File : VV017545.D
 Acq On : 20 Jul 2020 15:27
 Operator : SY/MD
 Sample : L3336-12
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 PMW-8D

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM072020WMA.M
 Title : VOC Analysis

35	3.810	844	846	848	rBV2	505	297	0.03%	0.004%
36	3.862	857	862	865	rBV4	898	795	0.09%	0.011%
37	3.907	865	876	900	rBV	61310	169057	18.93%	2.355%
38	4.084	929	931	935	rBV2	1170	946	0.11%	0.013%
39	4.376	1007	1022	1044	rBV2	121838	301830	33.80%	4.205%
40	4.621	1095	1098	1099	rBV2	590	258	0.03%	0.004%
41	4.672	1111	1114	1115	rBV	493	265	0.03%	0.004%
42	4.695	1119	1121	1122	rVV	653	338	0.04%	0.005%
43	4.717	1126	1128	1129	rBV2	335	109	0.01%	0.002%
44	4.772	1143	1145	1147	rBV2	555	338	0.04%	0.005%
45	4.814	1155	1158	1163	rVB2	649	529	0.06%	0.007%
46	4.839	1163	1166	1167	rBV2	323	142	0.02%	0.002%
47	4.852	1167	1170	1172	rVV	620	342	0.04%	0.005%
48	4.871	1174	1176	1179	rVV3	458	261	0.03%	0.004%
49	4.891	1179	1182	1185	rVV3	772	600	0.07%	0.008%
50	4.916	1188	1190	1194	rVV2	890	509	0.06%	0.007%
51	4.945	1197	1199	1203	rVB3	1138	830	0.09%	0.012%
52	4.968	1203	1206	1207	rBV	478	260	0.03%	0.004%
53	4.997	1214	1215	1218	rVB2	606	278	0.03%	0.004%
54	5.071	1218	1238	1267	rBV3	277233	721828	80.83%	10.056%
55	5.248	1291	1293	1297	rBV3	956	696	0.08%	0.010%
56	5.267	1297	1299	1300	rBV2	815	388	0.04%	0.005%
57	5.363	1327	1329	1330	rBV2	657	221	0.02%	0.003%
58	5.399	1338	1340	1345	rVB4	557	388	0.04%	0.005%
59	5.640	1403	1415	1438	rBV	301830	602687	67.49%	8.396%
60	5.830	1471	1474	1476	rBV3	1441	744	0.08%	0.010%
61	6.093	1545	1556	1581	rVB	208630	418497	46.86%	5.830%
62	6.717	1747	1750	1756	rBB6	1323	1162	0.13%	0.016%
63	7.010	1831	1841	1857	rBV	99131	174375	19.53%	2.429%
64	7.338	1932	1943	1963	rBV	417022	720461	80.68%	10.037%
65	7.643	2028	2038	2059	rBV2	70810	130014	14.56%	1.811%
66	7.932	2127	2128	2131	rBV3	1036	439	0.05%	0.006%
67	8.109	2173	2183	2212	rBV	292500	525989	58.90%	7.327%
68	8.743	2377	2380	2384	rBV3	1359	914	0.10%	0.013%
69	8.875	2409	2421	2442	rBV	547612	893026	100.00%	12.441%
70	9.334	2560	2564	2567	rBV5	1344	901	0.10%	0.013%
71	9.463	2602	2604	2611	rBV3	1208	1437	0.16%	0.020%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV072020\
 Data File : VV017545.D
 Acq On : 20 Jul 2020 15:27
 Operator : SY/MD
 Sample : L3336-12
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 PMW-8D

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM072020WMA.M
 Title : VOC Analysis

72	9.746	2689	2692	2696	rBV5	1156	1290	0.14%	0.018%
73	10.148	2816	2817	2823	rVB4	1385	842	0.09%	0.012%
74	10.238	2833	2845	2867	rBV	326559	508072	56.89%	7.078%
75	11.270	3155	3166	3190	rBV	533956	825154	92.40%	11.495%
76	11.646	3272	3283	3304	rVB	449385	703755	78.81%	9.804%
77	12.392	3513	3515	3517	rBV2	962	496	0.06%	0.007%
78	12.855	3656	3659	3661	rBV3	1230	781	0.09%	0.011%
79	13.434	3837	3839	3841	rBV3	889	323	0.04%	0.004%
80	13.495	3854	3858	3861	rBV3	868	886	0.10%	0.012%
81	13.710	3923	3925	3927	rBV2	422	209	0.02%	0.003%
82	13.768	3941	3943	3945	rBV3	1541	806	0.09%	0.011%
83	13.820	3957	3959	3962	rVB3	628	292	0.03%	0.004%
84	13.836	3962	3964	3966	rBV3	544	326	0.04%	0.005%
85	14.138	4056	4058	4060	rBV2	773	309	0.03%	0.004%
86	14.196	4074	4076	4078	rBV2	582	249	0.03%	0.003%
87	14.308	4109	4111	4113	rBV3	705	395	0.04%	0.006%
88	14.768	4252	4254	4257	rVB2	885	362	0.04%	0.005%
89	14.820	4268	4270	4274	rBV4	1035	705	0.08%	0.010%
90	15.093	4352	4355	4359	rVB2	1119	605	0.07%	0.008%
91	15.286	4413	4415	4418	rBV2	727	499	0.06%	0.007%


Sum of corrected areas: 7178362

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV072020\
Data File : VV017545.D
Acq On : 20 Jul 2020 15:27
Operator : SY/MD
Sample : L3336-12
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
PMW-8D

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM072020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV072020\
Data File : VV017545.D
Acq On : 20 Jul 2020 15:27
Operator : SY/MD
Sample : L3336-12
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
PMW-8D

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM072020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV072020\
Data File : VV017545.D
Acq On : 20 Jul 2020 15:27
Operator : SY/MD
Sample : L3336-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
PMW-8D

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM072020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc