

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072022\
 Data File : VV026846.D
 Acq On : 20 Jul 2022 11:53
 Operator : SY/MD
 Sample : N3754-13
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GBHQ4

Quant Time: Jul 21 01:49:39 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR071122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jul 21 01:47:16 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	217644	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	228052	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	92079	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	63360	3.191	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	63.800%	
7) Chloroethane-d5	1.564	69	65633	3.826	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	76.600%	
11) 1,1-Dichloroethene-d2	2.101	63	89651	2.352	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	47.000%#	
20) 2-Butanone-d5	3.899	46	175988	56.791	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	113.580%	
24) Chloroform-d	4.346	84	157838	4.546	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.000%	
26) 1,2-Dichloroethane-d4	5.030	65	72739	4.796	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	96.000%	
32) Benzene-d6	5.046	84	256978	3.708	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	74.200%	
36) 1,2-Dichloropropane-d6	6.069	67	92783	4.466	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	89.400%	
41) Toluene-d8	7.316	98	176214	2.865	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	57.200%#	
43) trans-1,3-Dichloroprop...	7.625	79	24773	3.644	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	72.800%	
46) 2-Hexanone-d5	8.091	63	130278	44.265	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	88.520%	
56) 1,1,2,2-Tetrachloroeth...	10.213	84	75010	4.634	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	92.600%	
66) 1,2-Dichlorobenzene-d4	11.622	152	75797	4.725	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	94.400%	
Target Compounds						
					Qvalue	
25) Chloroform	4.378	83	13644	0.407	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072022\
Data File : VV026846.D
Acq On : 20 Jul 2022 11:53
Operator : SY/MD
Sample : N3754-13
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GBHQ4

Quant Time: Jul 21 01:49:39 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR071122WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Jul 21 01:47:16 2022
Response via : Initial Calibration

