

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV072319\
 Data File : VV011967.D
 Acq On : 23 Jul 2019 16:09
 Operator : SY/MD
 Sample : K3890-11
 Misc : 25ML/MSVOA V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A52W7

Quant Time: Jul 24 07:00:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR072219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jul 24 05:52:52 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	134717	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	125847	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	64388	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	38953	5.56	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	111.20%
7) Chloroethane-d5	1.59	69	30970	5.62	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	112.40%
11) 1,1-Dichloroethene-d2	2.14	63	60691	4.35	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	87.00%
20) 2-Butanone-d5	3.94	46	109696	53.60	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.20%
24) Chloroform-d	4.40	84	93962	5.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.40%
26) 1,2-Dichloroethane-d4	5.08	65	52688	5.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.40%
32) Benzene-d6	5.10	84	199934	5.70	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	114.00%
36) 1,2-Dichloropropane-d6	6.12	67	56162	5.59	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	111.80%
41) Toluene-d8	7.36	98	181039	5.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	111.20%
43) trans-1,3-Dichloropropene-	7.67	79	21690	5.32	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	106.40%
46) 2-Hexanone-d5	8.13	63	89098	54.43	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	108.86%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	37572	5.26	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.20%
64) 1,2-Dichlorobenzene-d4	11.67	152	73415	5.92	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	118.40%


Target Compounds					Ovalue
13) Acetone	2.19	43	64266	58.252 ug/L	100
21) 2-Butanone	4.02	43	29278	13.834 ug/L	98
40) 4-Methyl-2-pentanone	7.28	43	9303	1.871 ug/L #	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV072319\
Data File : VV011967.D
Acq On : 23 Jul 2019 16:09
Operator : SY/MD
Sample : K3890-11
Misc : 25ML/MSVOA V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A52W7

Quant Time: Jul 24 07:00:57 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR072219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jul 24 05:52:52 2019
Response via : Initial Calibration





#13

Acetone

Concen: 58.252 ug/L

RT: 2.19 min Scan# 342

Delta R.T. -0.03 min

Lab File: VV011967.D

Acq: 23 Jul 2019 16:09

Instrument :

MSVOA_V

ClientSampleId :


A52W7

Tot Ion: 43 Resp: 64266

Ion Ratio Lower Upper




43 100

58 25.7 0.0 51.8



Abundance Ion 43.05 (42.75 to 43.75): VV0

Ion 58.05 (57.75 to 58.75): VV0



#21

2-Butanone

Concen: 13.834 ug/L

RT: 4.02 min Scan# 912

Delta R.T. -0.02 min

Lab File: VV011967.D


Acq: 23 Jul 2019 16:09

Tgt Ion: 43 Resp: 29278

Ion Ratio Lower Upper



43 100


72 28.1 13.6 40.8



Abundance Ion 43.05 (42.75 to 43.75): VV0

Ion 72.10 (71.80 to 72.80): VV0





#40

4-Methyl-2-pentanone

Concen: 1.871 ug/L

RT: 7.28 min Scan# 1924

Delta R.T. 0.00 min

Lab File: VV011967.D

Acq: 23 Jul 2019 16:09

Instrument :

MSVOA_V

ClientSampleId :

A52W7


Tot Ion: 43 Resp: 9303

Ion Ratio Lower Upper

43 100

58 39.1 31.2 46.8

100 0.0 13.5 20.3



Abundance Ion 43.05 (42.75 to 43.75): VV0

Ion 58.05 (57.75 to 58.75): VV0

Ion 100.15 (99.85 to 100.85): VV0

