

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV072319\
 Data File : VV011969.D
 Acq On : 23 Jul 2019 17:26
 Operator : SY/MD
 Sample : K3823-08DL 200X
 Misc : 25ML/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A52K8DL

Quant Time: Jul 24 07:09:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR072219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jul 24 05:52:52 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	160990	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	152801	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	76580	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	36856	4.41	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.20%
7) Chloroethane-d5	1.59	69	29998	4.56	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.20%
11) 1,1-Dichloroethene-d2	2.13	63	60056	3.61	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.20%
20) 2-Butanone-d5	3.96	46	116133	47.48	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	94.96%
24) Chloroform-d	4.40	84	92143	4.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.00%
26) 1,2-Dichloroethane-d4	5.08	65	53103	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.80%
32) Benzene-d6	5.10	84	199671	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.80%
36) 1,2-Dichloropropane-d6	6.12	67	56956	4.67	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.40%
41) Toluene-d8	7.36	98	181328	4.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.80%
43) trans-1,3-Dichloropropene-	7.67	79	21392	4.32	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.40%
46) 2-Hexanone-d5	8.13	63	92149	46.36	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	92.72%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	39114	4.51	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.20%
64) 1,2-Dichlorobenzene-d4	11.67	152	72142	4.89	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.80%


Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	3.96	96	78101	6.369 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV072319\
Data File : VV011969.D
Acq On : 23 Jul 2019 17:26
Operator : SY/MD
Sample : K3823-08DL 200X
Misc : 25ML/MSVOA V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A52K8DL

Quant Time: Jul 24 07:09:14 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR072219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jul 24 05:52:52 2019
Response via : Initial Calibration





#22
 cis-1,2-Dichloroethene
 Concen: 6.369 ug/L
 RT: 3.96 min Scan# 894
 Delta R.T. 0.00 min
 Lab File: VV011969.D
 Acq: 23 Jul 2019 17:26

Instrument :
 MSVOA_V
 ClientSampleId :
 A52K8DL

Tot Ion: 96 Resp: 78101
 Ion Ratio Lower Upper
 96 100
 61 132.0 89.0 165.2
 68 0.0 0.0 0.0

