

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW072622\
 Data File : VW026958.D
 Acq On : 26 Jul 2022 17:58
 Operator : SY/MD
 Sample : N3841-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBUD0

Quant Time: Jul 27 01:43:09 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 27 01:39:23 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	506879	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	510692	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	214022	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	178920	42.087	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.180%
7) Chloroethane-d5	1.565	69	155511	45.217	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.440%
11) 1,1-Dichloroethene-d2	2.102	63	245270	32.069	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.140%
21) 2-Butanone-d5	3.886	46	271512	94.751	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.750%
24) Chloroform-d	4.343	84	380038	45.423	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.840%
26) 1,2-Dichloroethane-d4	5.027	65	226715	47.372	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.740%
32) Benzene-d6	5.044	84	724531	46.934	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.860%
36) 1,2-Dichloropropane-d6	6.066	67	242838	48.814	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.620%
41) Toluene-d8	7.314	98	583782	43.221	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.440%
43) trans-1,3-Dichloroprop...	7.619	79	93622	44.913	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.820%
47) 2-Hexanone-d5	8.088	63	193673	89.410	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.410%
56) 1,1,2,2-Tetrachloroeth...	10.214	84	364767	48.266	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.540%
66) 1,2-Dichlorobenzene-d4	11.622	152	228493	56.907	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	113.820%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072622\
Data File : VV026958.D
Acq On : 26 Jul 2022 17:58
Operator : SY/MD
Sample : N3841-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBUD0

Quant Time: Jul 27 01:43:09 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 27 01:39:23 2022
Response via : Initial Calibration

