

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072622\
 Data File : VV026979.D
 Acq On : 27 Jul 2022 02:56
 Operator : SY/MD
 Sample : N3880-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBUF6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
 Title : VOC Analysis

Signal : TIC: VV026979.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.304	75	82	102	rVB	356175	366312	0.28%	0.245%
2	1.565	155	163	177	rBV	295275	333167	0.25%	0.223%
3	2.105	320	331	346	rBV	582704	831040	0.64%	0.555%
4	2.507	447	456	465	rVB3	6139	10138	0.01%	0.007%
5	2.671	501	507	512	rBV3	605	616	0.00%	0.000%
6	2.706	514	518	522	rVB3	395	375	0.00%	0.000%
7	2.761	525	535	550	rVV3	11092	20679	0.02%	0.014%
8	2.944	589	592	595	rBV2	413	338	0.00%	0.000%
9	3.034	616	620	623	rVB3	444	351	0.00%	0.000%
10	3.076	630	633	637	rVB	319	286	0.00%	0.000%
11	3.191	662	669	672	rBV4	757	828	0.00%	0.001%
12	3.246	680	686	694	rVB3	427	647	0.00%	0.000%
13	3.281	694	697	702	rBV2	264	314	0.00%	0.000%
14	3.442	743	747	751	rBV2	294	290	0.00%	0.000%
15	3.532	772	775	783	rVB2	400	444	0.00%	0.000%
16	3.606	791	798	800	rBV	375	436	0.00%	0.000%
17	3.744	836	841	846	rBV3	403	412	0.00%	0.000%
18	3.902	874	890	932	rBV2	773298	2157890	1.65%	1.442%
19	4.256	998	1000	1003	rBV2	674	289	0.00%	0.000%
20	4.343	1008	1027	1062	rBV	406348	1021475	0.78%	0.682%
21	4.638	1114	1119	1123	rBV3	475	466	0.00%	0.000%
22	4.735	1146	1149	1155	rVB2	476	349	0.00%	0.000%
23	4.770	1158	1160	1167	rVB2	259	269	0.00%	0.000%
24	4.912	1202	1204	1207	rVB3	466	283	0.00%	0.000%
25	5.040	1227	1244	1294	rVV2	950666	2448190	1.87%	1.636%
26	5.320	1329	1331	1334	rVV3	539	294	0.00%	0.000%
27	5.339	1334	1337	1343	rVB5	827	704	0.00%	0.000%
28	5.394	1350	1354	1355	rBV	508	319	0.00%	0.000%
29	5.420	1359	1362	1364	rVB	538	320	0.00%	0.000%
30	5.481	1376	1381	1382	rBV2	347	288	0.00%	0.000%
31	5.613	1409	1422	1453	rBV	542634	1117502	0.86%	0.747%
32	5.912	1502	1515	1549	rBV	327048	664364	0.51%	0.444%
33	6.066	1549	1563	1591	rBV	541306	1120665	0.86%	0.749%
34	6.375	1656	1659	1663	rVB4	378	304	0.00%	0.000%
35	6.526	1702	1706	1709	rBV3	603	442	0.00%	0.000%
36	6.551	1709	1714	1717	rVB2	375	370	0.00%	0.000%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW072622\
 Data File : VW026979.D
 Acq On : 27 Jul 2022 02:56
 Operator : SY/MD
 Sample : N3880-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBUF6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
 Title : VOC Analysis

37	6.619	1732	1735	1739	rVV3	307	292	0.00%	0.000%
38	6.648	1742	1744	1746	rVV2	698	420	0.00%	0.000%
39	6.661	1746	1748	1750	rVV2	706	430	0.00%	0.000%
40	6.674	1750	1752	1758	rVV3	930	612	0.00%	0.000%
41	6.706	1758	1762	1767	rVB3	528	562	0.00%	0.000%
42	6.786	1782	1787	1792	rVB4	325	297	0.00%	0.000%
43	6.809	1792	1794	1799	rVB3	551	363	0.00%	0.000%
44	6.834	1799	1802	1806	rBV2	332	276	0.00%	0.000%
45	6.986	1837	1849	1874	rBV	204901	386544	0.30%	0.258%
46	7.207	1913	1918	1924	rVB4	715	633	0.00%	0.000%
47	7.313	1937	1951	1971	rBV	998861	1740010	1.33%	1.162%
48	7.622	2036	2047	2072	rBV	146616	266021	0.20%	0.178%
49	7.757	2087	2089	2095	rVB3	1020	829	0.00%	0.001%
50	7.850	2108	2118	2127	rBV8	4054	7240	0.01%	0.005%
51	7.985	2134	2160	2183	rBV2	68012076	130666926	100.00%	87.298%
52	8.088	2184	2192	2233	rVB	631671	1251312	0.96%	0.836%
53	8.728	2386	2391	2393	rBV3	607	486	0.00%	0.000%
54	8.850	2418	2429	2451	rBV	832944	1346942	1.03%	0.900%
55	8.976	2461	2468	2480	rVB4	11301	18521	0.01%	0.012%
56	9.124	2510	2514	2518	rVB4	565	497	0.00%	0.000%
57	9.262	2554	2557	2563	rVB4	676	493	0.00%	0.000%
58	9.297	2566	2568	2571	rBV2	452	336	0.00%	0.000%
59	9.320	2571	2575	2579	rVV3	422	424	0.00%	0.000%
60	9.346	2579	2583	2588	rVB3	389	279	0.00%	0.000%
61	9.455	2615	2617	2621	rBV2	388	295	0.00%	0.000%
62	9.609	2661	2665	2668	rBV4	430	346	0.00%	0.000%
63	9.796	2719	2723	2725	rBV2	422	330	0.00%	0.000%
64	9.934	2761	2766	2767	rBV2	447	388	0.00%	0.000%
65	10.114	2819	2822	2825	rVB2	449	278	0.00%	0.000%
66	10.214	2841	2853	2876	rVV	792789	1240030	0.95%	0.828%
67	10.384	2898	2906	2917	rVB3	5944	10278	0.01%	0.007%
68	10.439	2919	2923	2925	rVB3	510	354	0.00%	0.000%
69	10.474	2930	2934	2937	rBV2	492	339	0.00%	0.000%
70	10.606	2970	2975	2978	rBV3	292	284	0.00%	0.000%
71	10.702	3002	3005	3008	rVB2	588	403	0.00%	0.000%
72	10.728	3008	3013	3016	rBV3	423	345	0.00%	0.000%
73	10.747	3016	3019	3024	rVV3	422	380	0.00%	0.000%
74	10.773	3024	3027	3031	rVV3	389	349	0.00%	0.000%
75	10.812	3037	3039	3043	rVB	484	285	0.00%	0.000%
76	10.854	3046	3052	3055	rVB4	681	561	0.00%	0.000%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072622\
 Data File : VV026979.D
 Acq On : 27 Jul 2022 02:56
 Operator : SY/MD
 Sample : N3880-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBUF6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
 Title : VOC Analysis

77	10.976	3087	3090	3093	rBV	443	339	0.00%	0.000%
78	11.011	3098	3101	3104	rBV2	322	282	0.00%	0.000%
79	11.188	3152	3156	3163	rVB3	764	795	0.00%	0.001%
80	11.246	3163	3174	3198	rBV	740325	1150770	0.88%	0.769%
81	11.513	3254	3257	3261	rVB3	381	289	0.00%	0.000%
82	11.535	3261	3264	3266	rBV3	508	373	0.00%	0.000%
83	11.561	3269	3272	3277	rVB2	460	329	0.00%	0.000%
84	11.622	3279	3291	3314	rBV	941493	1472617	1.13%	0.984%
85	11.828	3351	3355	3357	rBV3	638	603	0.00%	0.000%
86	11.895	3371	3376	3381	rBV3	482	570	0.00%	0.000%
87	11.921	3381	3384	3388	rVB2	336	286	0.00%	0.000%
88	11.979	3399	3402	3405	rBV2	431	291	0.00%	0.000%
89	12.239	3480	3483	3485	rBV	485	359	0.00%	0.000%
90	12.407	3533	3535	3540	rBV2	331	280	0.00%	0.000%
91	12.506	3563	3566	3569	rBV2	349	261	0.00%	0.000%
92	12.995	3712	3718	3721	rBV2	418	502	0.00%	0.000%
93	13.085	3743	3746	3748	rBV2	398	277	0.00%	0.000%
94	13.136	3758	3762	3765	rBV3	402	361	0.00%	0.000%
95	13.419	3847	3850	3854	rVB2	423	294	0.00%	0.000%
96	13.564	3893	3895	3902	rVB3	380	396	0.00%	0.000%
97	13.638	3916	3918	3922	rVV	506	420	0.00%	0.000%
98	13.702	3934	3938	3939	rBV3	535	290	0.00%	0.000%
99	13.783	3960	3963	3964	rBV	659	381	0.00%	0.000%
100	15.644	4540	4542	4545	rBV4	875	353	0.00%	0.000%

Sum of corrected areas: 149679164

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072622\
Data File : VV026979.D
Acq On : 27 Jul 2022 02:56
Operator : SY/MD
Sample : N3880-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBUF6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072622\
Data File : VV026979.D
Acq On : 27 Jul 2022 02:56
Operator : SY/MD
Sample : N3880-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBUF6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc