

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW072722\
 Data File : VW027011.D
 Acq On : 27 Jul 2022 20:15
 Operator : SY/MD
 Sample : N3880-08DL 400X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBUG1DL

Quant Time: Jul 28 01:45:48 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jul 28 01:41:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.612	114	485753	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	492359	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	212780	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	138877	34.088	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	68.180%	
7) Chloroethane-d5	1.564	69	138768	42.103	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	84.200%	
11) 1,1-Dichloroethene-d2	2.101	63	217676	29.698	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	59.400%#	
21) 2-Butanone-d5	3.886	46	309853	112.834	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	112.830%	
24) Chloroform-d	4.342	84	376997	47.019	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	94.040%	
26) 1,2-Dichloroethane-d4	5.027	65	228275	49.772	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	99.540%	
32) Benzene-d6	5.047	84	716409	48.136	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	96.280%	
36) 1,2-Dichloropropane-d6	6.066	67	244748	51.029	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	102.060%	
41) Toluene-d8	7.313	98	576845	44.298	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	88.600%	
43) trans-1,3-Dichloroprop...	7.619	79	92219	45.887	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	91.780%	
47) 2-Hexanone-d5	8.088	63	224710	107.601	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	107.600%	
56) 1,1,2,2-Tetrachloroeth...	10.214	84	366316	50.276	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	100.560%	
66) 1,2-Dichlorobenzene-d4	11.622	152	231359	57.957	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	115.920%	
Target Compounds						
					Qvalue	
46) Tetrachloroethene	7.972	164	90161	28.406	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072722\
Data File : VV027011.D
Acq On : 27 Jul 2022 20:15
Operator : SY/MD
Sample : N3880-08DL 400X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBUG1DL

Quant Time: Jul 28 01:45:48 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 28 01:41:31 2022
Response via : Initial Calibration

