

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW072722\
 Data File : VW027025.D
 Acq On : 28 Jul 2022 02:22
 Operator : SY/MD
 Sample : N3897-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBUP9

Quant Time: Jul 28 06:18:43 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jul 28 02:51:09 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.612	114	454683	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	462577	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	194733	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	206733	54.211	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	= 108.420%		
7) Chloroethane-d5	1.564	69	175254	56.807	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	= 113.620%		
11) 1,1-Dichloroethene-d2	2.101	63	280365	40.865	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	= 81.740%		
21) 2-Butanone-d5	3.896	46	169442	65.919	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	= 65.920%		
24) Chloroform-d	4.342	84	375586	50.044	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 100.080%		
26) 1,2-Dichloroethane-d4	5.027	65	218157	50.816	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 101.640%		
32) Benzene-d6	5.043	84	757594	54.181	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 108.360%		
36) 1,2-Dichloropropane-d6	6.066	67	242098	53.727	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	= 107.460%		
41) Toluene-d8	7.313	98	614263	50.208	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	= 100.420%		
43) trans-1,3-Dichloroprop...	7.619	79	89211	47.249	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	= 94.500%		
47) 2-Hexanone-d5	8.088	63	168557	85.909	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	= 85.910%		
56) 1,1,2,2-Tetrachloroeth...	10.214	84	335889	49.068	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	= 98.140%		
66) 1,2-Dichlorobenzene-d4	11.622	152	219517	60.087	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	= 120.180%#		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072722\
Data File : VV027025.D
Acq On : 28 Jul 2022 02:22
Operator : SY/MD
Sample : N3897-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBUP9

Quant Time: Jul 28 06:18:43 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 28 02:51:09 2022
Response via : Initial Calibration

