

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072722\
 Data File : VV027029.D
 Acq On : 28 Jul 2022 04:00
 Operator : SY/MD
 Sample : N3897-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBUQ5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
 Title : VOC Analysis

Signal : TIC: VV027029.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.301	75	81	102	rVB	310524	333717	16.35%	2.310%
2	1.564	156	163	175	rVB	255187	290610	14.23%	2.011%
3	2.101	321	330	345	rVB	526774	744602	36.47%	5.153%
4	2.944	589	592	593	rBV2	939	444	0.02%	0.003%
5	3.133	647	651	654	rBV	299	240	0.01%	0.002%
6	3.153	654	657	661	rBV2	367	307	0.02%	0.002%
7	3.172	661	663	665	rBV2	336	163	0.01%	0.001%
8	3.236	681	683	684	rBV	302	136	0.01%	0.001%
9	3.278	692	696	700	rBV3	362	364	0.02%	0.003%
10	3.429	739	743	745	rBV2	236	191	0.01%	0.001%
11	3.445	746	748	750	rBV2	232	107	0.01%	0.001%
12	3.548	776	780	782	rBV2	490	296	0.01%	0.002%
13	3.606	793	798	801	rBV2	400	355	0.02%	0.002%
14	3.699	824	827	829	rBV2	259	149	0.01%	0.001%
15	3.715	829	832	835	rVB2	160	99	0.00%	0.001%
16	3.744	839	841	846	rVB2	345	265	0.01%	0.002%
17	3.815	860	863	865	rBV2	490	302	0.01%	0.002%
18	3.892	877	887	925	rBV2	80917	327121	16.02%	2.264%
19	4.342	1012	1027	1056	rBV	329361	825374	40.43%	5.712%
20	4.735	1146	1149	1151	rBV2	324	205	0.01%	0.001%
21	4.767	1157	1159	1164	rVB2	679	439	0.02%	0.003%
22	4.828	1169	1178	1180	rBV4	851	933	0.05%	0.006%
23	4.915	1203	1205	1208	rBV2	232	165	0.01%	0.001%
24	5.040	1227	1244	1281	rBV2	795086	2041701	100.00%	14.130%
25	5.323	1328	1332	1335	rBV4	796	921	0.05%	0.006%
26	5.519	1390	1393	1398	rVB3	660	357	0.02%	0.002%
27	5.612	1410	1422	1462	rBV	488741	1019914	49.95%	7.059%
28	5.908	1505	1514	1527	rBV3	8580	16854	0.83%	0.117%
29	6.066	1549	1563	1593	rBV	442275	925555	45.33%	6.406%
30	6.342	1643	1649	1652	rVB4	499	472	0.02%	0.003%
31	6.365	1653	1656	1657	rBV2	287	116	0.01%	0.001%
32	6.407	1666	1669	1672	rBV2	376	214	0.01%	0.001%
33	6.461	1684	1686	1689	rBV2	285	126	0.01%	0.001%
34	6.635	1736	1740	1742	rBV	384	310	0.02%	0.002%
35	6.651	1742	1745	1749	rVV2	349	268	0.01%	0.002%
36	6.728	1767	1769	1771	rBV2	383	221	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072722\
 Data File : VV027029.D
 Acq On : 28 Jul 2022 04:00
 Operator : SY/MD
 Sample : N3897-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBUQ5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
 Title : VOC Analysis

37	6.776	1782	1784	1790	rBV3	227	170	0.01%	0.001%
38	6.815	1795	1796	1798	rVB	410	155	0.01%	0.001%
39	6.831	1798	1801	1803	rVB2	108	63	0.00%	0.000%
40	6.857	1803	1809	1811	rBV2	402	394	0.02%	0.003%
41	6.899	1819	1822	1823	rBV	127	69	0.00%	0.000%
42	6.921	1826	1829	1833	rVB2	374	255	0.01%	0.002%
43	6.937	1833	1834	1836	rVB	415	84	0.00%	0.001%
44	6.982	1836	1848	1877	rBV	192580	370662	18.15%	2.565%
45	7.207	1916	1918	1921	rBV	595	399	0.02%	0.003%
46	7.313	1939	1951	1981	rBV	862521	1522229	74.56%	10.535%
47	7.619	2037	2046	2077	rBV2	135013	251140	12.30%	1.738%
48	7.905	2133	2135	2136	rBV	423	163	0.01%	0.001%
49	8.091	2182	2193	2233	rBV	385715	902002	44.18%	6.243%
50	8.558	2336	2338	2339	rBV	355	119	0.01%	0.001%
51	8.667	2369	2372	2374	rBV3	474	325	0.02%	0.002%
52	8.773	2403	2405	2406	rBV3	239	111	0.01%	0.001%
53	8.808	2414	2416	2417	rBV	437	110	0.01%	0.001%
54	8.850	2417	2429	2463	rBV	772670	1277898	62.59%	8.844%
55	9.210	2537	2541	2544	rBV3	472	388	0.02%	0.003%
56	9.249	2550	2553	2556	rVB2	593	354	0.02%	0.002%
57	9.271	2556	2560	2561	rBV2	364	229	0.01%	0.002%
58	9.497	2625	2630	2631	rBV	180	117	0.01%	0.001%
59	9.590	2654	2659	2663	rBV4	350	298	0.01%	0.002%
60	9.641	2671	2675	2679	rBV2	295	238	0.01%	0.002%
61	9.725	2699	2701	2703	rBV	339	215	0.01%	0.001%
62	9.776	2713	2717	2719	rVB2	237	135	0.01%	0.001%
63	9.792	2719	2722	2724	rBV2	252	144	0.01%	0.001%
64	9.818	2727	2730	2733	rBV2	381	254	0.01%	0.002%
65	9.934	2761	2766	2772	rBV2	676	741	0.04%	0.005%
66	9.966	2772	2776	2778	rBV2	344	256	0.01%	0.002%
67	10.037	2795	2798	2800	rVB2	316	154	0.01%	0.001%
68	10.053	2800	2803	2806	rBV	263	156	0.01%	0.001%
69	10.072	2806	2809	2812	rBV	173	129	0.01%	0.001%
70	10.088	2812	2814	2815	rBV	269	102	0.00%	0.001%
71	10.136	2825	2829	2832	rBV2	183	132	0.01%	0.001%
72	10.156	2832	2835	2836	rBV2	172	80	0.00%	0.001%
73	10.214	2840	2853	2879	rBV	657880	1053283	51.59%	7.290%
74	10.384	2899	2906	2916	rVB3	3994	5940	0.29%	0.041%
75	10.445	2922	2925	2928	rBV2	265	182	0.01%	0.001%
76	10.506	2939	2944	2946	rBV2	363	316	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072722\
 Data File : VV027029.D
 Acq On : 28 Jul 2022 04:00
 Operator : SY/MD
 Sample : N3897-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBUQ5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
 Title : VOC Analysis

77	10.548	2953	2957	2962	rVB2	751	708	0.03%	0.005%
78	10.567	2962	2963	2965	rBV	394	147	0.01%	0.001%
79	10.583	2965	2968	2972	rVB3	515	444	0.02%	0.003%
80	10.609	2974	2976	2979	rBV	360	150	0.01%	0.001%
81	10.850	3048	3051	3059	rVB5	893	784	0.04%	0.005%
82	11.014	3100	3102	3105	rBV2	170	109	0.01%	0.001%
83	11.037	3106	3109	3112	rBV	411	243	0.01%	0.002%
84	11.107	3129	3131	3134	rVB	296	144	0.01%	0.001%
85	11.127	3134	3137	3138	rBV2	393	210	0.01%	0.001%
86	11.194	3153	3158	3160	rBV2	574	483	0.02%	0.003%
87	11.249	3163	3175	3199	rBV	706648	1110464	54.39%	7.685%
88	11.535	3256	3264	3279	rBV4	10476	19909	0.98%	0.138%
89	11.622	3280	3291	3318	rVV	804184	1291268	63.24%	8.937%
90	12.069	3428	3430	3433	rBV3	498	222	0.01%	0.002%
91	12.390	3528	3530	3531	rBV	240	85	0.00%	0.001%
92	12.947	3697	3703	3706	rBV2	600	594	0.03%	0.004%
93	13.506	3868	3877	3892	rBV	30874	50772	2.49%	0.351%
94	14.635	4221	4228	4241	rVB2	20834	31796	1.56%	0.220%
95	14.818	4279	4285	4298	rVB4	10761	16717	0.82%	0.116%




Sum of corrected areas: 14449053

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072722\
Data File : VV027029.D
Acq On : 28 Jul 2022 04:00
Operator : SY/MD
Sample : N3897-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBUQ5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072722\
Data File : VV027029.D
Acq On : 28 Jul 2022 04:00
Operator : SY/MD
Sample : N3897-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBUQ5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072722\
Data File : VV027029.D
Acq On : 28 Jul 2022 04:00
Operator : SY/MD
Sample : N3897-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBUQ5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072222WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc