

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072823\
 Data File : VV031776.D
 Acq On : 28 Jul 2023 09:36
 Operator : SY/MD
 Sample : VV0728WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK375

Quant Time: Jul 28 22:39:22 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 28 22:38:33 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.539	114	346949	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	375066	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.191	152	169457	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	149990	42.407	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	84.820%		
7) Chloroethane-d5	1.529	69	140489	43.343	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	86.680%		
11) 1,1-Dichloroethene-d2	2.057	65	73455	44.867	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	89.740%		
21) 2-Butanone-d5	3.786	46	251096	102.596	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	102.600%		
24) Chloroform-d	4.253	84	356647	49.046	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.100%		
26) 1,2-Dichloroethane-d4	4.944	65	224135	49.538	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	99.080%		
32) Benzene-d6	4.963	84	562864	47.392	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	94.780%		
36) 1,2-Dichloropropane-d6	5.989	67	214546	48.090	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	96.180%		
41) Toluene-d8	7.246	98	424335	42.625	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	85.240%		
43) trans-1,3-Dichloroprop...	7.555	79	87960	45.869	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	91.740%		
47) 2-Hexanone-d5	8.027	63	156792	93.719	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	93.720%		
56) 1,1,2,2-Tetrachloroeth...	10.156	84	300078	48.817	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	97.640%		
66) 1,2-Dichlorobenzene-d4	11.564	152	192111	55.993	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	111.980%		
Target Compounds					Qvalue	
71) Naphthalene	13.448	128	18698	1.798	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV072823\
Data File : VV031776.D
Acq On : 28 Jul 2023 09:36
Operator : SY/MD
Sample : VV0728WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK375

Quant Time: Jul 28 22:39:22 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072523WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 28 22:38:33 2023
Response via : Initial Calibration





#71
Naphthalene
Concen: 1.798 ug/L
RT: 13.448 min Scan# 3858
Delta R.T. 0.003 min
Lab File: VV031776.D
Acq: 28 Jul 2023 09:36

Instrument :
MSVOA_V
ClientSampleId :
VBLK375

Tgt Ion:128 Resp: 18698
Ion Ratio Lower Upper
128 100
127 14.1 11.0 16.4
129 11.2 8.6 13.0

