

Data File : VV017728.D
Acq On : 29 Jul 2020 14:16
Operator : SY/MD
Sample : L3470-02DL 50X
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
H0AE5DL

Quant Time: Jul 30 05:22:03 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR072320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jul 30 04:28:04 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	154725	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	151279	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	11.27	152	74219	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	35061	4.75	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	95.00%
7) Chloroethane-d5	1.58	69	29801	5.27	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	105.40%
11) 1,1-Dichloroethene-d2	2.12	63	58375	3.52	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.40%
20) 2-Butanone-d5	3.93	46	73918	41.82	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	83.64%
24) Chloroform-d	4.38	84	83320	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.20%
26) 1,2-Dichloroethane-d4	5.06	65	45263	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.20%
32) Benzene-d6	5.07	84	141568	4.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.00%
36) 1,2-Dichloropropane-d6	6.09	67	36688	3.96	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	79.20%
41) Toluene-d8	7.34	98	131330	4.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.20%
45) trans-1,3-Dichloropropene-	7.65	79	16621	3.96	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.20%
48) 2-Hexanone-d5	8.11	63	47387	36.40	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	72.80%
59) 1,1,2,2-Tetrachloroethane-	10.24	84	26586	4.12	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.40%
65) 1,2-Dichlorobenzene-d4	11.65	152	55661	4.96	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.20%


Target Compounds					Qvalue
22) cis-1,2-Dichloroethene	3.94	96	111551	9.757 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV017728.D
Acq On : 29 Jul 2020 14:16
Operator : SY/MD
Sample : L3470-02DL 50X
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
H0AE5DL

Quant Time: Jul 30 05:22:03 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR072320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jul 30 04:28:04 2020
Response via : Initial Calibration





#22
 cis-1,2-Dichloroethene
 Concen: 9.757 ug/L
 RT: 3.94 min Scan# 885
 Delta R.T. 0.00 min
 Lab File: VV017728.D
 Acq: 29 Jul 2020 14:16

Instrument :
 MSVOA_V
 ClientSampleId :
 H0AE5DL

Tgt Ion: 96 Resp: 111551
 Ion Ratio Lower Upper
 96 100
 61 126.3 89.6 166.4
 68 0.0 0.0 0.0

