

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV073020\
 Data File : VV017752.D
 Acq On : 30 Jul 2020 15:36
 Operator : SY/MD
 Sample : L3419-06
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AA4

Quant Time: Jul 31 03:55:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM073020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 31 02:37:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	369910	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	352279	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	169275	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	83692	46.40	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.80%
7) Chloroethane-d5	1.58	69	71350	46.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.66%
11) 1,1-Dichloroethene-d2	2.12	63	147383	34.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.00%
21) 2-Butanone-d5	3.91	46	128590	94.80	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.80%
24) Chloroform-d	4.37	84	225691	45.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.56%
26) 1,2-Dichloroethane-d4	5.05	65	170953	47.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.96%
32) Benzene-d6	5.07	84	402073	48.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.48%
36) 1,2-Dichloropropane-d6	6.09	67	115099	50.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.00%
41) Toluene-d8	7.34	98	385189	47.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.26%
43) trans-1,3-Dichloropropene-	7.64	79	67383	44.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.58%
47) 2-Hexanone-d5	8.11	63	93100	94.10	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.10%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	147764	42.52	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	85.04%
64) 1,2-Dichlorobenzene-d4	11.65	152	169319	50.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.92%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV073020\
Data File : VV017752.D
Acq On : 30 Jul 2020 15:36
Operator : SY/MD
Sample : L3419-06
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AA4

Quant Time: Jul 31 03:55:11 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM073020WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 31 02:37:22 2020
Response via : Initial Calibration

