

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV080218\
 Data File : VV006846.D
 Acq On : 03 Aug 2018 09:20
 Operator : SY/MD
 Sample : J4261-01
 Misc : 25 mL/MSVOA V/WATER
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E5F89

Quant Time: Aug 03 12:12:14 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR080218WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Aug 03 04:21:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	219832	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	208076	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	74161	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	79444	5.22	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	104.40%
7) Chloroethane-d5	1.58	69	78777	5.95	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	119.00%
11) 1,1-Dichloroethene-d2	2.13	63	116060	4.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.20%
20) 2-Butanone-d5	3.95	46	252301	68.32	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	136.64%#
24) Chloroform-d	4.41	84	157684	5.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	118.40%
26) 1,2-Dichloroethane-d4	5.09	65	86116	6.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	128.20%
32) Benzene-d6	5.10	84	302454	5.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	107.60%
36) 1,2-Dichloropropane-d6	6.12	67	104749	5.65	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	113.00%
41) Toluene-d8	7.37	98	230022	4.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.80%
43) trans-1,3-Dichloropropene-	7.67	79	29975	4.57	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.40%
46) 2-Hexanone-d5	8.14	63	149896	51.32	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.64%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	85078	6.16	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	123.20%#
64) 1,2-Dichlorobenzene-d4	11.68	152	78621	5.71	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	114.20%

Target Compounds					Ovalue
47) Tetrachloroethene	8.02	164	34354	2.65 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV080218\
Data File : VV006846.D
Acq On : 03 Aug 2018 09:20
Operator : SY/MD
Sample : J4261-01
Misc : 25 mL/MSVOA V/WATER
ALS Vial : 51 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E5F89

Quant Time: Aug 03 12:12:14 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR080218WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Aug 03 04:21:42 2018
Response via : Initial Calibration

