

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV080718\
 Data File : VV006925.D
 Acq On : 08 Aug 2018 03:57
 Operator : SY/MD
 Sample : J4357-11
 Misc : 25 mL/MSVOA V/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ESWT0

Quant Time: Aug 08 07:56:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR080718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Aug 08 07:06:57 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	190244	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	178815	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	65500	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	72836	6.39	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	127.80%
7) Chloroethane-d5	1.58	69	57515	5.15	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	103.00%
11) 1,1-Dichloroethene-d2	2.13	63	87438	3.73	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.60%
20) 2-Butanone-d5	3.97	46	219966	60.43	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	120.86%
24) Chloroform-d	4.41	84	126929	5.30	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.00%
26) 1,2-Dichloroethane-d4	5.09	65	71887	5.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.60%
32) Benzene-d6	5.10	84	237673	5.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.60%
36) 1,2-Dichloropropane-d6	6.13	67	85925	5.40	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	108.00%
41) Toluene-d8	7.37	98	168601	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.00%
43) trans-1,3-Dichloropropene-	7.67	79	22474	4.37	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.40%
46) 2-Hexanone-d5	8.15	63	104715	49.04	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.08%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	67282	5.63	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	112.60%
64) 1,2-Dichlorobenzene-d4	11.68	152	61793	5.83	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	116.60%

Target Compounds


						Ovalue
5) Vinyl chloride	1.32	62	1129220	63.15	ug/L	99
13) Acetone	2.21	43	4436	1.87	ug/L	80
17) Methyl tert-butyl Ether	2.82	73	7337	0.22	ug/L #	89
22) cis-1,2-Dichloroethene	3.97	96	341658	24.99	ug/L	99
34) Trichloroethene	5.96	95	12791	1.00	ug/L	96
47) Tetrachloroethene	8.02	164	17209	1.76	ug/L	96
53) m,p-xylene	9.18	106	3680	0.20	ug/L	78


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV080718\
Data File : VV006925.D
Acq On : 08 Aug 2018 03:57
Operator : SY/MD
Sample : J4357-11
Misc : 25 mL/MSVOA V/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
ESWT0

Quant Time: Aug 08 07:56:20 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR080718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Aug 08 07:06:57 2018
Response via : Initial Calibration





#5

Vinyl chloride

Concen: 63.15 ug/L

RT: 1.32 min Scan# 134

Delta R.T. 0.00 min

Lab File: VV006925.D

Acq: 08 Aug 2018 03:57

Instrument :

MSVOA_V

ClientSampleId :





ESWT0

Tot Ion: 62 Resp: 1129220

Ion Ratio Lower Upper

62 100

64 32.3 22.1 41.1



#13

Acetone

Concen: 1.87 ug/L

RT: 2.21 min Scan# 409

Delta R.T. -0.00 min

Lab File: VV006925.D




Acq: 08 Aug 2018 03:57


Tgt Ion: 43 Resp: 4436

Ion Ratio Lower Upper

43 100

58 45.7 0.0 68.0









#17
Methvl tert-butvl Ether
Concen: 0.22 ug/L
RT: 2.82 min Scan# 599
Delta R.T. 0.00 min
Lab File: VV006925.D
Acq: 08 Aug 2018 03:57




Instrument :
MSVOA_V
ClientSampleId :
ESWT0


Tot Ion	Ratio	Lower	Upper
73	100		
43	14.2	15.3	22.9#
57	29.0	18.8	28.2#



#22
cis-1,2-Dichloroethene
Concen: 24.99 ug/L
RT: 3.97 min Scan# 957
Delta R.T. 0.00 min
Lab File: VV006925.D
Acq: 08 Aug 2018 03:57

Tgt Ion	Ratio	Lower	Upper
96	100		
61	135.5	95.5	177.4
68	0.0	0.0	0.0





#34

Trichloroethene

Concen: 1.00 ug/L

RT: 5.96 min Scan# 1578

Delta R.T. 0.00 min

Lab File: VV006925.D

Acq: 08 Aug 2018 03:57

Instrument :

MSVOA_V

ClientSampleID :

ESWT0

Tot Ion: 95 Resp: 12791



Ion Ratio Lower Upper

95 100

97 67.0 44.4 82.4

132 91.7 65.6 121.8

130 93.7 68.8 127.8





Abundance

Ion 95.00 (94.70 to 95.70): VV006925.D (-1485) (-)

Ion 96.95 (96.65 to 97.65): VV006925.D (-1485) (-)

Ion 131.95 (131.65 to 132.65): VV006925.D (-1485) (-)

Ion 129.95 (129.65 to 130.65): VV006925.D (-1485) (-)



#47

Tetrachloroethene

Concen: 1.76 ug/L

RT: 8.02 min Scan# 2218

Delta R.T. 0.00 min

Lab File: VV006925.D

Acq: 08 Aug 2018 03:57

Tgt Ion: 164 Resp: 17209



Ion Ratio Lower Upper

164 100

129 96.0 63.1 117.3

131 88.6 62.3 115.7

166 129.6 87.4 162.4




Abundance


Ion 163.90 (163.60 to 164.60): VV006925.D (-2125) (-)

Ion 128.95 (128.65 to 129.65): VV006925.D (-2125) (-)

Ion 130.95 (130.65 to 131.65): VV006925.D (-2125) (-)

Ion 165.90 (165.60 to 166.60): VV006925.D (-2125) (-)





#53

m,p-xylene

Concen: 0.20 ug/L

RT: 9.18 min Scan# 2579

Delta R.T. -0.00 min

Lab File: VV006925.D

Acq: 08 Aug 2018 03:57

Instrument :

MSVOA_V

ClientSampleId :



ESWT0

Tot Ion:106 Resp: 3680

Ion Ratio Lower Upper

106 100

91 175.9 147.7 274.3



Abundance Ion 106.15 (105.85 to 106.85): V

Ion 91.15 (90.85 to 91.85): VV0

