

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV080820\
 Data File : VV017859.D
 Acq On : 08 Aug 2020 16:56
 Operator : SY/MD
 Sample : L3579-10ME 10X
 Misc : 6.35g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFS4ME

Quant Time: Aug 10 04:54:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM080820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Aug 10 02:55:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	245172	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	232941	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	122856	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	38181	30.15	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	60.30%
7) Chloroethane-d5	1.58	69	39383	36.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	73.22%
11) 1,1-Dichloroethene-d2	2.12	63	80544	26.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	52.96%#
21) 2-Butanone-d5	3.91	46	85874	108.31	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.31%
24) Chloroform-d	4.37	84	146811	44.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.44%
26) 1,2-Dichloroethane-d4	5.05	65	116472	48.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.58%
32) Benzene-d6	5.07	84	248496	46.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.40%
36) 1,2-Dichloropropane-d6	6.09	67	68100	49.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.86%
41) Toluene-d8	7.34	98	245847	45.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.94%
43) trans-1,3-Dichloropropene-	7.64	79	34754	39.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.14%
47) 2-Hexanone-d5	8.11	63	60418	122.31	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	122.31%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	105127	49.45	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.90%
64) 1,2-Dichlorobenzene-d4	11.65	152	124564	49.74	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.48%

Target Compounds					Ovalue
46) Tetrachloroethene	8.00	164	7934	5.058 ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV080820\
Data File : VV017859.D
Acq On : 08 Aug 2020 16:56
Operator : SY/MD
Sample : L3579-10ME 10X
Misc : 6.35g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFSL4ME

Quant Time: Aug 10 04:54:11 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM080820WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Aug 10 02:55:43 2020
Response via : Initial Calibration

