

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV081019\
 Data File : VV012174.D
 Acq On : 10 Aug 2019 01:41
 Operator : SY/MD
 Sample : K4248-12
 Misc : 5mL/MSVOA V/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F2B48

Quant Time: Aug 14 08:51:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081019WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 10 05:07:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	258410	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	244145	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	108065	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	44547	46.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.72%
7) Chloroethane-d5	1.58	69	30316	50.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.02%
11) 1,1-Dichloroethene-d2	2.13	63	62295	34.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.32%
21) 2-Butanone-d5	3.93	46	31312	66.61	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	66.61%
24) Chloroform-d	4.40	84	87526	44.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.64%
26) 1,2-Dichloroethane-d4	5.08	65	57589	50.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.70%
32) Benzene-d6	5.10	84	185345	48.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.92%
36) 1,2-Dichloropropane-d6	6.11	67	48647	47.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.48%
41) Toluene-d8	7.36	98	170353	47.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.48%
43) trans-1,3-Dichloropropene-	7.66	79	24219	43.40	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.80%
47) 2-Hexanone-d5	8.13	63	35825	90.94	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.94%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	66751	47.29	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.58%
64) 1,2-Dichlorobenzene-d4	11.67	152	64003	50.11	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.22%


Target Compounds					Ovalue
20) cis-1,2-Dichloroethene	3.96	96	8199	4.718 ug/L	81


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV081019\
Data File : VV012174.D
Acq On : 10 Aug 2019 01:41
Operator : SY/MD
Sample : K4248-12
Misc : 5mL/MSVOA V/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F2B48

Quant Time: Aug 14 08:51:59 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081019WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 10 05:07:53 2019
Response via : Initial Calibration





#20
 cis-1,2-Dichloroethene
 Concen: 4.718 ug/L
 RT: 3.96 min Scan# 893
 Delta R.T. 0.00 min
 Lab File: VV012174.D
 Acq: 10 Aug 2019 01:41

Instrument :
 MSVOA_V
 ClientSampleId :
 F2B48

Tot Ion: 96 Resp: 8199
 Ion Ratio Lower Upper
 96 100
 61 97.3 82.9 153.9
 68 0.0 0.0 0.0

