

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081222\
 Data File : VV027304.D
 Acq On : 12 Aug 2022 02:42
 Operator : SY/MD
 Sample : N4162-07
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGBY0

Quant Time: Aug 12 05:48:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 12 02:11:44 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	159503	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	167858	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	67847	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	73864	5.330	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	106.600%
7) Chloroethane-d5	1.564	69	53456	5.312	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	106.200%
11) 1,1-Dichloroethene-d2	2.101	63	97166	3.866	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.400%
20) 2-Butanone-d5	3.886	46	86253	36.752	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	73.500%
24) Chloroform-d	4.342	84	125387	4.934	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.600%
26) 1,2-Dichloroethane-d4	5.031	65	60088	4.963	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.200%
32) Benzene-d6	5.047	84	235572	4.757	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.200%
36) 1,2-Dichloropropane-d6	6.066	67	76427	4.992	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.800%
41) Toluene-d8	7.313	98	198446	4.378	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.600%
43) trans-1,3-Dichloroprop...	7.625	79	23141	4.364	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.200%
46) 2-Hexanone-d5	8.088	63	83829	40.845	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.700%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	50249	4.537	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.800%
66) 1,2-Dichlorobenzene-d4	11.622	152	63437	5.417	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	108.400%
Target Compounds						Qvalue
22) cis-1,2-Dichloroethene	3.912	96	5776	0.416	ug/L	77
34) Trichloroethene	5.915	95	28581	2.001	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081222\
Data File : VV027304.D
Acq On : 12 Aug 2022 02:42
Operator : SY/MD
Sample : N4162-07
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGBY0

Quant Time: Aug 12 05:48:26 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081122WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Aug 12 02:11:44 2022
Response via : Initial Calibration

