




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081222\
 Data File : VV027307.D
 Acq On : 12 Aug 2022 03:57
 Operator : SY/MD
 Sample : N4162-10
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGBY3

Manual IntegrationsAPPROVED

Quant Time: Aug 12 05:49:05 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 12 02:11:44 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/14/2022
 Supervised By :Mahesh Dadoda 08/14/2022



TIC: VV027307.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

2.217min (+ 0.116) 0.31 ug/L

response 7574

Ion	Exp%	Act%
63.00	100.00	100.00
97.95	67.40	50.62
65.10	23.50	28.76
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081222\
 Data File : VV027307.D
 Acq On : 12 Aug 2022 03:57
 Operator : SY/MD
 Sample : N4162-10
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGBY3

Manual IntegrationsAPPROVED

Quant Time: Aug 12 05:49:05 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 12 02:11:44 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/14/2022
 Supervised By :Mahesh Dadoda 08/14/2022



TIC: VV027307.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

2.101min (+ 0.000) 3.92 ug/L m

response 96201

Ion	Exp%	Act%
63.00	100.00	100.00
97.95	67.40	3.99#
65.10	23.50	2.26#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081222\
 Data File : VV027307.D
 Acq On : 12 Aug 2022 03:57
 Operator : SY/MD
 Sample : N4162-10
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGBY3

Manual IntegrationsAPPROVED

Quant Time: Aug 12 05:49:05 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 12 02:11:44 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/14/2022
 Supervised By :Mahesh Dadoda 08/14/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	155900	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	165628	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	67409	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	74077	5.469	ug/L	0.00
Spiked Amount 5.000	Range 40	- 130	Recovery	=	109.400%	
7) Chloroethane-d5	1.561	69	54847	5.576	ug/L	0.00
Spiked Amount 5.000	Range 65	- 130	Recovery	=	111.600%	
11) 1,1-Dichloroethene-d2	2.101	63	96201m	3.916	ug/L	0.00
Spiked Amount 5.000	Range 60	- 125	Recovery	=	78.400%	
20) 2-Butanone-d5	3.873	46	116409	50.748	ug/L	-0.01
Spiked Amount 50.000	Range 40	- 130	Recovery	=	101.500%	
24) Chloroform-d	4.342	84	125859	5.067	ug/L	0.00
Spiked Amount 5.000	Range 70	- 125	Recovery	=	101.400%	
26) 1,2-Dichloroethane-d4	5.027	65	60410	5.105	ug/L	0.00
Spiked Amount 5.000	Range 70	- 130	Recovery	=	102.000%	
32) Benzene-d6	5.047	84	236504	4.841	ug/L	0.00
Spiked Amount 5.000	Range 70	- 125	Recovery	=	96.800%	
36) 1,2-Dichloropropane-d6	6.066	67	77240	5.113	ug/L	0.00
Spiked Amount 5.000	Range 60	- 140	Recovery	=	102.200%	
41) Toluene-d8	7.313	98	197441	4.414	ug/L	0.00
Spiked Amount 5.000	Range 70	- 130	Recovery	=	88.200%	
43) trans-1,3-Dichloroprop...	7.622	79	22430	4.286	ug/L	0.00
Spiked Amount 5.000	Range 55	- 130	Recovery	=	85.800%	
46) 2-Hexanone-d5	8.085	63	81742	40.365	ug/L	0.00
Spiked Amount 50.000	Range 45	- 130	Recovery	=	80.720%	
56) 1,1,2,2-Tetrachloroeth...	10.214	84	48974	4.481	ug/L	0.00
Spiked Amount 5.000	Range 65	- 120	Recovery	=	89.600%	
66) 1,2-Dichlorobenzene-d4	11.622	152	62965	5.412	ug/L	0.00
Spiked Amount 5.000	Range 80	- 120	Recovery	=	108.200%	
Target Compounds						
					Qvalue	
19) 1,1-Dichloroethane	3.188	63	4618	0.175	ug/L	95
22) cis-1,2-Dichloroethene	3.908	96	50356	3.708	ug/L	95
29) 1,1,1-Trichloroethane	4.606	97	20362	0.874	ug/L	99
34) Trichloroethene	5.908	95	184713	13.109	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081222\
Data File : VV027307.D
Acq On : 12 Aug 2022 03:57
Operator : SY/MD
Sample : N4162-10
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGBY3

Manual IntegrationsAPPROVED

Quant Time: Aug 12 05:49:05 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081122WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Aug 12 02:11:44 2022
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/14/2022
Supervised By :Mahesh Dadoda 08/14/2022

