

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081224\
 Data File : VV036906.D
 Acq On : 12 Aug 2024 15:19
 Operator : SY/MD
 Sample : P3533-15
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Aug 13 03:24:39 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 13 02:57:00 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	698820	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	663171	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	321764	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	266862	47.811	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	95.620%		
7) Chloroethane-d5	1.532	69	212691	48.321	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	96.640%		
11) 1,1-Dichloroethene-d2	2.060	65	111344	46.636	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	93.280%		
21) 2-Butanone-d5	3.796	46	254621	86.099	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	86.100%		
24) Chloroform-d	4.246	84	470835	47.007	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	94.020%		
26) 1,2-Dichloroethane-d4	4.941	65	304442	47.273	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	94.540%		
32) Benzene-d6	4.953	84	969340	48.394	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.780%		
36) 1,2-Dichloropropane-d6	5.986	67	312139	48.303	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	96.600%		
41) Toluene-d8	7.240	98	865009	47.078	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	94.160%		
43) trans-1,3-Dichloroprop...	7.551	79	135850	40.395	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	80.800%		
47) 2-Hexanone-d5	8.027	63	145949	78.551	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	78.550%		
56) 1,1,2,2-Tetrachloroeth...	10.149	84	343191	46.254	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	92.500%		
66) 1,2-Dichlorobenzene-d4	11.554	152	314354	47.944	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	95.880%		

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081224\
Data File : VV036906.D
Acq On : 12 Aug 2024 15:19
Operator : SY/MD
Sample : P3533-15
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Aug 13 03:24:39 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 13 02:57:00 2024
Response via : Initial Calibration

