

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW081224\
 Data File : VW036910.D
 Acq On : 12 Aug 2024 17:08
 Operator : SY/MD
 Sample : P3498-03
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Quant Time: Aug 13 03:25:35 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 13 02:57:00 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	571296	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	511564	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.182	152	223257	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	149051	32.665	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	65.340%
7) Chloroethane-d5	1.532	69	154009	42.799	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.600%
11) 1,1-Dichloroethene-d2	2.060	65	64838	33.219	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.440%
21) 2-Butanone-d5	3.796	46	297778	123.169	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	123.170%
24) Chloroform-d	4.246	84	408423	49.878	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.760%
26) 1,2-Dichloroethane-d4	4.937	65	286846	54.483	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.960%
32) Benzene-d6	4.953	84	749501	48.508	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.020%
36) 1,2-Dichloropropane-d6	5.986	67	274839	55.136	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	110.280%
41) Toluene-d8	7.240	98	581473	41.025	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.060%
43) trans-1,3-Dichloroprop...	7.555	79	113764	43.853	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.700%
47) 2-Hexanone-d5	8.024	63	159888	111.556	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	111.560%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	340220	59.442	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	118.880%
66) 1,2-Dichlorobenzene-d4	11.558	152	224532	49.354	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.700%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081224\
Data File : VV036910.D
Acq On : 12 Aug 2024 17:08
Operator : SY/MD
Sample : P3498-03
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Time: Aug 13 03:25:35 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 13 02:57:00 2024
Response via : Initial Calibration

