

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV081419\
 Data File : VV012241.D
 Acq On : 14 Aug 2019 18:09
 Operator : SY/MD
 Sample : K4337-15
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AG0

Quant Time: Aug 20 12:25:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR081319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Aug 15 23:30:01 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	190553	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	187785	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	81009	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	53592	4.56	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.20%
7) Chloroethane-d5	1.58	69	46009	5.13	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.60%
11) 1,1-Dichloroethene-d2	2.13	63	70861	3.69	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.80%
20) 2-Butanone-d5	3.94	46	41079	16.20	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	32.40%#
24) Chloroform-d	4.40	84	109121	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.80%
26) 1,2-Dichloroethane-d4	5.08	65	56245	5.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.20%
32) Benzene-d6	5.10	84	225580	4.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.00%
36) 1,2-Dichloropropane-d6	6.12	67	68471	4.89	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.80%
41) Toluene-d8	7.36	98	190676	4.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.80%
43) trans-1,3-Dichloropropene-	7.66	79	22893	4.27	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.40%
46) 2-Hexanone-d5	8.13	63	70383	40.94	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.88%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	46551	4.77	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	95.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	74040	5.40	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	108.00%


Target Compounds					Qvalue
13) Acetone	2.18	43	4688	2.967 ug/L	97
56) Isopropylbenzene	9.97	105	9694	0.155 ug/L #	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV081419\
Data File : VV012241.D
Acq On : 14 Aug 2019 18:09
Operator : SY/MD
Sample : K4337-15
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AG0

Quant Time: Aug 20 12:25:41 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR081319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Aug 15 23:30:01 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.967 ug/L

RT: 2.18 min Scan# 340

Delta R.T. -0.04 min

Lab File: VV012241.D

Acq: 14 Aug 2019 18:09

Instrument :

MSVOA_V

ClientSampleId :


C0AG0

Tgt Ion: 43 Resp: 4688

Ion Ratio Lower Upper

43 100

58 31.5 0.0 59.4



Abundance Ion 43.05 (42.75 to 43.75): VV012241.D (-261) (-)

Ion 58.05 (57.75 to 58.75): VV012241.D (-261) (-)

2.18

3000

2000



1000

0

Time-->

2.15

2.20



#56

Isopropylbenzene

Concen: 0.155 ug/L

RT: 9.97 min Scan# 2763

Delta R.T. 0.00 min

Lab File: VV012241.D

Acq: 14 Aug 2019 18:09


Tgt Ion: 105 Resp: 9694

Ion Ratio Lower Upper

105 100

120 29.2 22.0 33.0

77 18.8 12.5 18.7#



Abundance Ion 105.05 (104.75 to 105.75): VV012241.D (-2670) (-)

Ion 120.10 (119.80 to 120.80): VV012241.D (-2670) (-)

Ion 77.10 (76.80 to 77.80): VV012241.D (-2670) (-)

9.97

8000

6000

4000

2000

0

Time-->

9.95

10.00

