

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081523\
 Data File : VV031811.D
 Acq On : 15 Aug 2023 15:12
 Operator : SY/MD
 Sample : 03968-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A48B1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072523WMA.M

Title : VOC Analysis

Signal : TIC: VV031811.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	88	rVB	187271	197802	12.24%	1.581%
2	1.532	145	153	169	rVB	181536	223500	13.83%	1.786%
3	2.060	307	317	327	rBV	340383	496771	30.75%	3.970%
4	2.114	327	334	347	rVB	92759	144682	8.95%	1.156%
5	2.320	393	398	403	rVB5	2279	1891	0.12%	0.015%
6	2.446	433	437	438	rBV4	2004	1541	0.10%	0.012%
7	2.799	543	547	553	rBV8	951	1208	0.07%	0.010%
8	2.963	593	598	602	rVB7	1661	1712	0.11%	0.014%
9	2.992	602	607	610	rBV5	1486	1615	0.10%	0.013%
10	3.130	647	650	656	rVB7	1602	1396	0.09%	0.011%
11	3.474	753	757	759	rBV3	1453	1225	0.08%	0.010%
12	3.581	786	790	793	rBV4	1205	1103	0.07%	0.009%
13	3.658	810	814	817	rVV6	1350	1078	0.07%	0.009%
14	3.793	846	856	883	rBV2	147492	429997	26.61%	3.436%
15	4.156	966	969	973	rVB5	1491	1230	0.08%	0.010%
16	4.179	973	976	980	rVB5	1866	1116	0.07%	0.009%
17	4.256	981	1000	1030	rBV2	289395	773499	47.87%	6.181%
18	4.519	1080	1082	1085	rVB4	1957	1136	0.07%	0.009%
19	4.751	1150	1154	1160	rVB7	2067	2230	0.14%	0.018%
20	4.889	1194	1197	1200	rVB4	1379	966	0.06%	0.008%
21	4.963	1203	1220	1247	rBV2	595310	1615736	100.00%	12.912%
22	5.262	1311	1313	1317	rVB5	1657	1060	0.07%	0.008%
23	5.400	1353	1356	1361	rBV7	1312	1404	0.09%	0.011%
24	5.539	1387	1399	1424	rBV	396152	859123	53.17%	6.866%
25	5.828	1477	1489	1508	rBV2	72327	154511	9.56%	1.235%
26	5.995	1528	1541	1562	rBV	392235	819314	50.71%	6.547%
27	6.179	1596	1598	1602	rBV5	1421	1041	0.06%	0.008%
28	6.317	1639	1641	1645	rBV5	1678	1012	0.06%	0.008%
29	6.407	1665	1669	1671	rBV4	1245	982	0.06%	0.008%
30	6.458	1678	1685	1689	rVB8	1618	2153	0.13%	0.017%
31	6.481	1689	1692	1695	rBV3	2090	1448	0.09%	0.012%
32	6.558	1711	1716	1717	rBV4	2224	1788	0.11%	0.014%
33	6.616	1732	1734	1738	rVB5	1577	1272	0.08%	0.010%
34	6.680	1751	1754	1757	rVB5	1685	979	0.06%	0.008%
35	6.741	1769	1773	1775	rVB5	1539	1077	0.07%	0.009%
36	6.822	1795	1798	1804	rBV7	927	1008	0.06%	0.008%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081523\
 Data File : VV031811.D
 Acq On : 15 Aug 2023 15:12
 Operator : SY/MD
 Sample : 03968-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A48B1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072523WMA.M
 Title : VOC Analysis

37	6.918	1816	1828	1847	rBV	155183	300918	18.62%	2.405%
38	7.101	1882	1885	1886	rBV3	2154	1229	0.08%	0.010%
39	7.191	1910	1913	1916	rBV5	2512	1777	0.11%	0.014%
40	7.249	1919	1931	1956	rBV	517796	961436	59.50%	7.683%
41	7.558	2017	2027	2049	rBV	117898	222111	13.75%	1.775%
42	7.844	2114	2116	2120	rBV3	2142	1542	0.10%	0.012%
43	8.031	2163	2174	2211	rBV2	429582	931107	57.63%	7.441%
44	8.625	2357	2359	2363	rVB5	1452	1073	0.07%	0.009%
45	8.712	2381	2386	2389	rVB6	1584	1517	0.09%	0.012%
46	8.789	2399	2410	2434	rBV	697373	1151750	71.28%	9.204%
47	9.008	2474	2478	2483	rBV7	1523	1594	0.10%	0.013%
48	9.153	2520	2523	2527	rBV5	1536	953	0.06%	0.008%
49	9.265	2554	2558	2560	rBV4	1625	1226	0.08%	0.010%
50	9.355	2578	2586	2588	rBV9	1042	1440	0.09%	0.012%
51	9.403	2598	2601	2603	rBV4	1905	1241	0.08%	0.010%
52	9.490	2623	2628	2631	rBV7	1720	1386	0.09%	0.011%
53	9.564	2647	2651	2655	rVB7	1372	1194	0.07%	0.010%
54	9.600	2659	2662	2666	rVB5	1157	1006	0.06%	0.008%
55	9.625	2666	2670	2674	rBV6	1546	1295	0.08%	0.010%
56	9.760	2709	2712	2714	rBV4	2131	1676	0.10%	0.013%
57	9.802	2722	2725	2729	rVB6	1426	1170	0.07%	0.009%
58	9.960	2769	2774	2775	rBV4	3454	2703	0.17%	0.022%
59	10.159	2824	2836	2857	rBV	530664	841738	52.10%	6.727%
60	10.301	2873	2880	2883	rBV5	2029	2392	0.15%	0.019%
61	10.339	2890	2892	2895	rVB3	3042	1360	0.08%	0.011%
62	10.400	2908	2911	2915	rVB6	1479	1258	0.08%	0.010%
63	10.487	2930	2938	2939	rBV8	1606	2057	0.13%	0.016%
64	10.497	2939	2941	2944	rVV3	2626	1147	0.07%	0.009%
65	10.638	2979	2985	2989	rBV9	2126	2258	0.14%	0.018%
66	10.661	2989	2992	2997	rVB7	1717	1606	0.10%	0.013%
67	10.715	3006	3009	3012	rVB4	2017	1377	0.09%	0.011%
68	10.783	3024	3030	3035	rBV8	1649	1791	0.11%	0.014%
69	10.828	3040	3044	3047	rBV6	2399	2075	0.13%	0.017%
70	10.850	3049	3051	3053	rBV3	1935	980	0.06%	0.008%
71	10.883	3058	3061	3066	rVB5	2452	2354	0.15%	0.019%
72	10.928	3070	3075	3078	rBV4	2494	2520	0.16%	0.020%
73	11.066	3114	3118	3121	rBV5	1201	983	0.06%	0.008%
74	11.104	3125	3130	3134	rBV7	2913	3310	0.20%	0.026%
75	11.191	3146	3157	3175	rBV	668917	1047563	64.84%	8.372%
76	11.429	3224	3231	3233	rBV7	1407	1533	0.09%	0.012%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081523\
 Data File : VV031811.D
 Acq On : 15 Aug 2023 15:12
 Operator : SY/MD
 Sample : 03968-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A48B1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072523WMA.M
 Title : VOC Analysis

77	11.471	3240	3244	3245	rBV4	1716	1112	0.07%	0.009%
78	11.500	3245	3253	3262	rVV5	16262	33330	2.06%	0.266%
79	11.567	3263	3274	3295	rVB	703387	1129248	69.89%	9.024%
80	11.841	3356	3359	3361	rBV3	1597	1073	0.07%	0.009%
81	11.950	3383	3393	3402	rBV5	15312	24430	1.51%	0.195%
82	12.046	3420	3423	3429	rVB7	2228	1606	0.10%	0.013%
83	12.194	3463	3469	3478	rVB7	5334	7816	0.48%	0.062%
84	12.252	3480	3487	3494	rBV8	10786	18940	1.17%	0.151%
85	12.757	3641	3644	3650	rBV7	1382	1553	0.10%	0.012%
86	13.011	3718	3723	3725	rBV6	1619	1419	0.09%	0.011%
87	13.053	3733	3736	3740	rBV4	1643	1673	0.10%	0.013%
88	13.204	3778	3783	3789	rBV9	1483	2250	0.14%	0.018%
89	13.317	3815	3818	3820	rBV4	1640	1043	0.06%	0.008%
90	13.387	3838	3840	3845	rVB6	2654	1595	0.10%	0.013%
91	13.612	3905	3910	3913	rBV6	1736	1468	0.09%	0.012%
92	13.664	3920	3926	3930	rVB8	1638	1912	0.12%	0.015%
93	13.902	3995	4000	4002	rBV6	2355	2252	0.14%	0.018%
94	14.098	4059	4061	4065	rBV6	1868	1805	0.11%	0.014%
95	14.162	4079	4081	4087	rVB5	2543	1361	0.08%	0.011%
96	14.361	4138	4143	4151	rVB5	7470	10652	0.66%	0.085%
97	14.616	4216	4222	4225	rBV6	2588	3219	0.20%	0.026%
98	14.789	4273	4276	4279	rBV4	3090	1952	0.12%	0.016%
99	14.931	4318	4320	4324	rBV5	1758	1275	0.08%	0.010%
100	15.050	4355	4357	4359	rBV3	1967	1179	0.07%	0.009%

Sum of corrected areas: 12513415

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081523\
Data File : VV031811.D
Acq On : 15 Aug 2023 15:12
Operator : SY/MD
Sample : 03968-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A48B1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072523WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081523\
Data File : VV031811.D
Acq On : 15 Aug 2023 15:12
Operator : SY/MD
Sample : 03968-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A48B1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM072523WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------