

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV081718\
 Data File : VV007053.D
 Acq On : 17 Aug 2018 14:36
 Operator : SY/MD
 Sample : J4487-05
 Misc : 25.0 mL/MSVOA V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C02Z1

Quant Time: Aug 28 11:09:10 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR080918WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Aug 18 03:36:46 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	212793	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	202651	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	79682	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	77513	5.64	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	112.80%
7) Chloroethane-d5	1.58	69	70183	6.02	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	120.40%
11) 1,1-Dichloroethene-d2	2.13	63	108300	4.20	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	84.00%
20) 2-Butanone-d5	3.97	46	199094	50.40	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.80%
24) Chloroform-d	4.41	84	156849	5.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	112.60%
26) 1,2-Dichloroethane-d4	5.09	65	81925	5.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	116.40%
32) Benzene-d6	5.10	84	304222	5.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	116.80%
36) 1,2-Dichloropropane-d6	6.12	67	102911	5.78	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	115.60%
41) Toluene-d8	7.37	98	222572	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.40%
43) trans-1,3-Dichloropropene-	7.67	79	30706	4.96	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	99.20%
46) 2-Hexanone-d5	8.15	63	83447	32.96	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	65.92%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	73873	5.33	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	106.60%
64) 1,2-Dichlorobenzene-d4	11.68	152	78588	5.67	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	113.40%

Target Compounds					Ovalue
29) 1,1,1-Trichloroethane	4.67	97	20786	0.77 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV081718\
Data File : VV007053.D
Acq On : 17 Aug 2018 14:36
Operator : SY/MD
Sample : J4487-05
Misc : 25.0 mL/MSVOA V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C02Z1

Quant Time: Aug 28 11:09:10 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR080918WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Aug 18 03:36:46 2018
Response via : Initial Calibration

