

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV081718\
 Data File : VV007049.D
 Acq On : 17 Aug 2018 12:49
 Operator : SY/MD
 Sample : J4487-01
 Misc : 25.0 mL/MSVOA V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C02Y7

Quant Time: Aug 18 03:54:50 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR080918WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Aug 18 03:36:46 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	210151	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	203935	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	77954	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	78009	5.75	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	115.00%
7) Chloroethane-d5	1.58	69	70054	6.09	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	121.80%
11) 1,1-Dichloroethene-d2	2.13	63	108128	4.25	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	85.00%
20) 2-Butanone-d5	3.98	46	209097	53.60	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.20%
24) Chloroform-d	4.41	84	158417	5.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	115.20%
26) 1,2-Dichloroethane-d4	5.09	65	80178	5.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	115.40%
32) Benzene-d6	5.10	84	308926	5.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	118.00%
36) 1,2-Dichloropropane-d6	6.12	67	103188	5.76	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	115.20%
41) Toluene-d8	7.37	98	231381	5.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.80%
43) trans-1,3-Dichloropropene-	7.67	79	32059	5.14	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	102.80%
46) 2-Hexanone-d5	8.15	63	89199	35.01	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	70.02%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	72689	5.21	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.20%
64) 1,2-Dichlorobenzene-d4	11.68	152	80771	5.96	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	119.20%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV081718\
Data File : VV007049.D
Acq On : 17 Aug 2018 12:49
Operator : SY/MD
Sample : J4487-01
Misc : 25.0 mL/MSVOA V/WATER
ALS Vial : 6 Sample Multiplier: 1