

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV081720\
 Data File : VV018019.D
 Acq On : 17 Aug 2020 12:28
 Operator : SY/MD
 Sample : L3684-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0F92

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.315	63	70	83	rVB	143603	147350	14.46%	1.928%
2	1.425	100	104	116	rVB	6536	7619	0.75%	0.100%
3	1.579	144	152	163	rBV	122255	141612	13.90%	1.853%
4	2.122	311	321	349	rVB	251283	383672	37.66%	5.020%
5	2.309	373	379	381	rBV2	1402	1507	0.15%	0.020%
6	2.521	441	445	453	rVB4	907	1221	0.12%	0.016%
7	2.627	472	478	479	rBV2	817	692	0.07%	0.009%
8	2.765	518	521	524	rBV	132	98	0.01%	0.001%
9	2.884	555	558	561	rBV	106	61	0.01%	0.001%
10	2.984	582	589	592	rBV3	354	319	0.03%	0.004%
11	3.135	633	636	638	rBV	86	52	0.01%	0.001%
12	3.283	679	682	684	rBV2	120	87	0.01%	0.001%
13	3.479	738	743	745	rBV2	104	99	0.01%	0.001%
14	3.617	782	786	790	rBV2	147	127	0.01%	0.002%
15	3.865	860	863	864	rBV	90	58	0.01%	0.001%
16	3.910	864	877	917	rBV2	77294	249787	24.52%	3.268%
17	4.106	930	938	954	rBV2	8247	20027	1.97%	0.262%
18	4.376	1004	1022	1053	rBV	161087	420816	41.31%	5.506%
19	4.508	1060	1063	1067	rVB2	273	222	0.02%	0.003%
20	4.527	1067	1069	1070	rBV	122	30	0.00%	0.000%
21	4.598	1088	1091	1093	rBV	102	77	0.01%	0.001%
22	4.643	1100	1105	1110	rVB2	138	139	0.01%	0.002%
23	4.669	1110	1113	1114	rBV	169	104	0.01%	0.001%
24	4.762	1141	1142	1143	rBV	123	26	0.00%	0.000%
25	4.878	1175	1178	1183	rBV	150	154	0.02%	0.002%
26	4.933	1192	1195	1196	rBV	87	57	0.01%	0.001%
27	5.071	1220	1238	1267	rBV2	395389	1018710	100.00%	13.330%
28	5.402	1340	1341	1344	rBV	100	73	0.01%	0.001%
29	5.431	1348	1350	1351	rBV	89	37	0.00%	0.000%
30	5.511	1371	1375	1377	rBV	236	150	0.01%	0.002%
31	5.553	1386	1388	1390	rBV	96	59	0.01%	0.001%
32	5.640	1402	1415	1440	rBV	299050	590676	57.98%	7.729%
33	5.929	1492	1505	1520	rBV3	10785	22826	2.24%	0.299%
34	6.093	1541	1556	1583	rBV	228964	457722	44.93%	5.989%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV081720\
 Data File : VV018019.D
 Acq On : 17 Aug 2020 12:28
 Operator : SY/MD
 Sample : L3684-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0F92

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
 Title : VOC Analysis

35	6.225	1595	1597	1599	rBV2	311	149	0.01%	0.002%
36	6.322	1625	1627	1630	rBV	136	62	0.01%	0.001%
37	6.540	1692	1695	1697	rBV	86	52	0.01%	0.001%
38	6.553	1697	1699	1702	rBV2	82	47	0.00%	0.001%
39	6.672	1733	1736	1741	rVB	256	157	0.02%	0.002%
40	6.723	1747	1752	1758	rBV	200	202	0.02%	0.003%
41	6.756	1758	1762	1765	rBV	129	125	0.01%	0.002%
42	7.006	1830	1840	1858	rBV	120085	214864	21.09%	2.811%
43	7.151	1883	1885	1886	rBV	261	110	0.01%	0.001%
44	7.206	1901	1902	1903	rBV	140	44	0.00%	0.001%
45	7.219	1903	1906	1909	rVV2	200	163	0.02%	0.002%
46	7.257	1917	1918	1921	rVB	137	69	0.01%	0.001%
47	7.276	1921	1924	1927	rVB2	101	63	0.01%	0.001%
48	7.338	1930	1943	1975	rBV	468845	792219	77.77%	10.366%
49	7.643	2027	2038	2056	rBV	86609	148040	14.53%	1.937%
50	7.781	2077	2081	2082	rBV2	139	64	0.01%	0.001%
51	7.846	2098	2101	2104	rBV	94	71	0.01%	0.001%
52	7.903	2114	2119	2122	rBV2	239	202	0.02%	0.003%
53	7.958	2135	2136	2138	rBV	133	59	0.01%	0.001%
54	8.061	2163	2168	2172	rBV2	142	165	0.02%	0.002%
55	8.106	2172	2182	2215	rBV	180667	346266	33.99%	4.531%
56	8.411	2275	2277	2279	rBV2	190	114	0.01%	0.001%
57	8.469	2292	2295	2298	rBV	143	88	0.01%	0.001%
58	8.482	2298	2299	2300	rVV	102	21	0.00%	0.000%
59	8.495	2301	2303	2312	rVB2	179	178	0.02%	0.002%
60	8.672	2355	2358	2361	rBV2	97	74	0.01%	0.001%
61	8.694	2362	2365	2366	rBV2	111	70	0.01%	0.001%
62	8.874	2408	2421	2447	rBV	455501	742767	72.91%	9.719%
63	9.051	2472	2476	2477	rBV	119	86	0.01%	0.001%
64	9.183	2516	2517	2521	rVB	181	56	0.01%	0.001%
65	9.209	2522	2525	2526	rBV2	105	63	0.01%	0.001%
66	9.379	2575	2578	2580	rBV2	155	103	0.01%	0.001%
67	9.421	2587	2591	2596	rBV2	143	151	0.01%	0.002%
68	9.739	2685	2690	2695	rBV2	169	243	0.02%	0.003%
69	9.820	2712	2715	2716	rBV	103	65	0.01%	0.001%
70	9.910	2740	2743	2745	rBV	141	96	0.01%	0.001%
71	10.235	2832	2844	2872	rVB	285469	445836	43.76%	5.834%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV081720\
 Data File : VV018019.D
 Acq On : 17 Aug 2020 12:28
 Operator : SY/MD
 Sample : L3684-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0F92

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
 Title : VOC Analysis

72	10.399	2894	2895	2896	rBV	98	22	0.00%	0.000%
73	10.408	2896	2898	2900	rBV2	174	77	0.01%	0.001%
74	10.601	2956	2958	2960	rBV2	178	60	0.01%	0.001%
75	10.630	2965	2967	2969	rBV	89	41	0.00%	0.001%
76	10.730	2995	2998	3004	rBV	162	194	0.02%	0.003%
77	10.977	3072	3075	3079	rBV	215	181	0.02%	0.002%
78	11.122	3117	3120	3122	rBV2	132	76	0.01%	0.001%
79	11.212	3144	3148	3152	rBV3	215	162	0.02%	0.002%
80	11.270	3154	3166	3190	rBV	466528	714570	70.14%	9.350%
81	11.402	3205	3207	3208	rBV	109	42	0.00%	0.001%
82	11.434	3215	3217	3219	rBV	119	26	0.00%	0.000%
83	11.485	3230	3233	3234	rBV	139	79	0.01%	0.001%
84	11.569	3254	3259	3265	rBV3	385	483	0.05%	0.006%
85	11.646	3270	3283	3302	rBV	498965	764830	75.08%	10.008%
86	11.852	3344	3347	3350	rBV2	169	79	0.01%	0.001%
87	11.907	3362	3364	3366	rBV2	204	73	0.01%	0.001%
88	11.945	3373	3376	3381	rBV2	172	99	0.01%	0.001%
89	12.325	3492	3494	3498	rBV2	141	47	0.00%	0.001%
90	12.858	3657	3660	3666	rBV2	207	267	0.03%	0.003%
91	13.289	3790	3794	3801	rBV3	775	980	0.10%	0.013%
92	13.550	3872	3875	3877	rBV	259	159	0.02%	0.002%
93	13.926	3989	3992	3993	rBV	262	152	0.01%	0.002%
94	14.295	4104	4107	4110	rBV	271	203	0.02%	0.003%


Sum of corrected areas: 7642372

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV081720\
Data File : VV018019.D
Acq On : 17 Aug 2020 12:28
Operator : SY/MD
Sample : L3684-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0F92

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV081720\
Data File : VV018019.D
Acq On : 17 Aug 2020 12:28
Operator : SY/MD
Sample : L3684-03
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
C0F92

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM081120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV081720\
Data File : VV018019.D
Acq On : 17 Aug 2020 12:28
Operator : SY/MD
Sample : L3684-03
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
C0F92

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM081120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc