

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV081720\
 Data File : VV018032.D
 Acq On : 17 Aug 2020 17:57
 Operator : SY/MD
 Sample : L3665-20
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4L73

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.315	63	70	88	rVB2	222786	242176	24.66%	2.906%
2	1.576	144	151	164	rVB	116636	130705	13.31%	1.568%
3	2.122	311	321	349	rVB	228007	352832	35.93%	4.233%
4	2.434	416	418	421	rVB	194	75	0.01%	0.001%
5	2.450	421	423	425	rBV	177	68	0.01%	0.001%
6	2.521	439	445	454	rBV4	1002	1481	0.15%	0.018%
7	2.782	514	526	543	rBV	32955	58750	5.98%	0.705%
8	2.971	581	585	588	rBV3	364	269	0.03%	0.003%
9	2.987	588	590	592	rVB	137	65	0.01%	0.001%
10	3.225	661	664	667	rBV	122	73	0.01%	0.001%
11	3.315	688	692	695	rBV2	168	125	0.01%	0.001%
12	3.364	704	707	709	rBV	107	71	0.01%	0.001%
13	3.399	716	718	721	rBV	94	52	0.01%	0.001%
14	3.444	729	732	739	rVB2	204	188	0.02%	0.002%
15	3.489	739	746	750	rBV2	130	156	0.02%	0.002%
16	3.531	755	759	761	rBV2	86	66	0.01%	0.001%
17	3.573	768	772	775	rBV2	126	103	0.01%	0.001%
18	3.592	775	778	782	rVV	96	71	0.01%	0.001%
19	3.672	799	803	805	rBV2	74	52	0.01%	0.001%
20	3.698	808	811	813	rVB	47	23	0.00%	0.000%
21	3.724	814	819	821	rBV2	140	130	0.01%	0.002%
22	3.788	834	839	845	rBV3	304	377	0.04%	0.005%
23	3.855	857	860	863	rBV	115	80	0.01%	0.001%
24	3.936	865	885	921	rBV2	323947	929657	94.66%	11.155%
25	4.241	976	980	981	rBV2	450	275	0.03%	0.003%
26	4.299	996	998	999	rBV2	278	121	0.01%	0.001%
27	4.376	1005	1022	1050	rBV	148143	381855	38.88%	4.582%
28	4.572	1080	1083	1092	rVB4	314	287	0.03%	0.003%
29	4.659	1107	1110	1113	rBV	95	66	0.01%	0.001%
30	4.704	1121	1124	1125	rBV	238	123	0.01%	0.001%
31	4.775	1140	1146	1149	rBV2	155	166	0.02%	0.002%
32	4.843	1162	1167	1169	rBV2	129	121	0.01%	0.001%
33	5.000	1213	1216	1220	rBB2	86	64	0.01%	0.001%
34	5.071	1220	1238	1273	rBV2	379216	982128	100.00%	11.784%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV081720\
 Data File : VV018032.D
 Acq On : 17 Aug 2020 17:57
 Operator : SY/MD
 Sample : L3665-20
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4L73

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
 Title : VOC Analysis

35	5.338	1319	1321	1323	rBV	127	89	0.01%	0.001%
36	5.373	1330	1332	1334	rBV3	218	106	0.01%	0.001%
37	5.415	1342	1345	1347	rBV	155	108	0.01%	0.001%
38	5.450	1353	1356	1358	rBV2	72	48	0.00%	0.001%
39	5.553	1385	1388	1393	rVB	131	103	0.01%	0.001%
40	5.576	1393	1395	1396	rBV	66	32	0.00%	0.000%
41	5.640	1402	1415	1442	rBV	310105	617801	62.90%	7.413%
42	5.933	1496	1506	1526	rVB5	10768	23209	2.36%	0.278%
43	6.010	1526	1530	1533	rVB	139	97	0.01%	0.001%
44	6.032	1533	1537	1540	rBV2	86	68	0.01%	0.001%
45	6.093	1542	1556	1582	rBV	216916	439158	44.71%	5.269%
46	6.302	1618	1621	1625	rBV	281	193	0.02%	0.002%
47	6.328	1625	1629	1632	rVB2	82	77	0.01%	0.001%
48	6.354	1632	1637	1639	rBV	95	85	0.01%	0.001%
49	6.441	1661	1664	1666	rBV	89	57	0.01%	0.001%
50	6.473	1671	1674	1680	rVB2	107	113	0.01%	0.001%
51	6.505	1680	1684	1687	rBV	183	131	0.01%	0.002%
52	6.553	1694	1699	1701	rBV	122	127	0.01%	0.002%
53	6.650	1726	1729	1733	rBV2	99	90	0.01%	0.001%
54	6.704	1743	1746	1749	rBV	80	48	0.00%	0.001%
55	6.778	1764	1769	1774	rBV2	102	141	0.01%	0.002%
56	6.820	1780	1782	1784	rBV	83	39	0.00%	0.000%
57	6.958	1822	1825	1828	rBV2	136	82	0.01%	0.001%
58	7.006	1828	1840	1861	rBV	114208	205763	20.95%	2.469%
59	7.180	1893	1894	1896	rVB	156	59	0.01%	0.001%
60	7.199	1896	1900	1904	rBV	226	172	0.02%	0.002%
61	7.225	1906	1908	1911	rVV	152	89	0.01%	0.001%
62	7.260	1916	1919	1921	rBV	76	47	0.00%	0.001%
63	7.338	1931	1943	1973	rBV	441690	750197	76.38%	9.001%
64	7.585	2019	2020	2022	rVB	137	50	0.01%	0.001%
65	7.643	2025	2038	2062	rBV	82246	143191	14.58%	1.718%
66	7.810	2087	2090	2092	rBV	241	148	0.02%	0.002%
67	7.846	2099	2101	2104	rBV	103	63	0.01%	0.001%
68	7.878	2108	2111	2114	rBV	188	112	0.01%	0.001%
69	7.910	2118	2121	2123	rVB	136	72	0.01%	0.001%
70	7.929	2123	2127	2129	rBV	179	132	0.01%	0.002%
71	7.981	2137	2143	2147	rBV2	165	187	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV081720\
 Data File : VV018032.D
 Acq On : 17 Aug 2020 17:57
 Operator : SY/MD
 Sample : L3665-20
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4L73

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
 Title : VOC Analysis

72	8.109	2169	2183	2213	rBV	188471	360230	36.68%	4.322%
73	8.424	2278	2281	2284	rBV2	207	139	0.01%	0.002%
74	8.531	2312	2314	2317	rBV	82	62	0.01%	0.001%
75	8.588	2329	2332	2333	rBV	76	41	0.00%	0.000%
76	8.617	2338	2341	2343	rBV2	169	126	0.01%	0.002%
77	8.669	2354	2357	2360	rBV	130	99	0.01%	0.001%
78	8.746	2378	2381	2382	rBV2	98	58	0.01%	0.001%
79	8.871	2408	2420	2450	rBV	487541	785358	79.96%	9.423%
80	9.067	2478	2481	2484	rVB	170	97	0.01%	0.001%
81	9.151	2505	2507	2510	rVV2	189	94	0.01%	0.001%
82	9.177	2513	2515	2517	rVB	146	43	0.00%	0.001%
83	9.280	2545	2547	2550	rVB	199	72	0.01%	0.001%
84	9.383	2573	2579	2582	rBV2	162	210	0.02%	0.003%
85	9.521	2618	2622	2624	rBV2	112	102	0.01%	0.001%
86	9.913	2741	2744	2750	rBV2	120	102	0.01%	0.001%
87	10.154	2817	2819	2821	rBV	138	87	0.01%	0.001%
88	10.238	2833	2845	2869	rBV	286935	446360	45.45%	5.356%
89	10.338	2873	2876	2879	rVB	237	163	0.02%	0.002%
90	11.215	3145	3149	3153	rBV3	338	242	0.02%	0.003%
91	11.270	3155	3166	3191	rBV	488514	744543	75.81%	8.933%
92	11.646	3271	3283	3312	rBV	467760	730091	74.34%	8.760%
93	12.157	3439	3442	3445	rBV	218	143	0.01%	0.002%
94	13.289	3790	3794	3801	rBV3	559	568	0.06%	0.007%
95	13.775	3943	3945	3948	rBV	310	156	0.02%	0.002%


Sum of corrected areas: 8334321

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV081720\
Data File : VV018032.D
Acq On : 17 Aug 2020 17:57
Operator : SY/MD
Sample : L3665-20
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4L73

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV081720\
Data File : VV018032.D
Acq On : 17 Aug 2020 17:57
Operator : SY/MD
Sample : L3665-20
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4L73

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV081720\
Data File : VV018032.D
Acq On : 17 Aug 2020 17:57
Operator : SY/MD
Sample : L3665-20
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4L73

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc