

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081721\
 Data File : VV021844.D
 Acq On : 18 Aug 2021 03:23
 Operator : SY/MD
 Sample : M3422-20
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Aug 18 04:37:44 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM081621WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 18 03:33:12 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	408866	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	376920	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	175033	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	107320	33.576	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	67.160%	
7) Chloroethane-d5	1.558	69	94463	39.163	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	78.320%	
11) 1,1-Dichloroethene-d2	2.105	63	129073	25.368	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	50.740%#	
21) 2-Butanone-d5	3.873	46	219713	110.523	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	110.520%	
24) Chloroform-d	4.349	84	246578	44.526	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	89.060%	
26) 1,2-Dichloroethane-d4	5.034	65	153464	48.177	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	96.360%	
32) Benzene-d6	5.050	84	482942	44.557	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	89.120%	
36) 1,2-Dichloropropane-d6	6.072	67	162917	48.267	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	96.540%	
41) Toluene-d8	7.317	98	415693	41.494	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	82.980%	
43) trans-1,3-Dichloroprop...	7.625	79	68137	41.018	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	82.040%	
47) 2-Hexanone-d5	8.088	63	120222	108.674	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	108.670%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	219421	52.458	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	104.920%	
66) 1,2-Dichlorobenzene-d4	11.625	152	180148	49.732	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	99.460%	
Target Compounds						Qvalue
44) trans-1,3-Dichloropropene	7.625	75	2666	0.608	ug/L	92
61) 1,2,3-Trichloropropane	11.252	75	19017	5.879	ug/L #	64


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081721\
Data File : VV021844.D
Acq On : 18 Aug 2021 03:23
Operator : SY/MD
Sample : M3422-20
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Aug 18 04:37:44 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM081621WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 18 03:33:12 2021
Response via : Initial Calibration









#44

trans-1,3-Dichloropropene
Concen: 0.608 ug/L
RT: 7.625 min Scan# 2048
Delta R.T. -0.026 min
Lab File: VV021844.D
Acq: 18 Aug 2021 03:23

Instrument :
MSVOA_V
ClientSampleId :

Tgt Ion: 75 Resp: 2666
Ion Ratio Lower Upper
75 100
77 36.3 22.2 41.2



#61

1,2,3-Trichloropropane
Concen: 5.879 ug/L
RT: 11.252 min Scan# 3176
Delta R.T. 0.977 min
Lab File: VV021844.D
Acq: 18 Aug 2021 03:23

Tgt Ion: 75 Resp: 19017
Ion Ratio Lower Upper
75 100
77 33.3 25.5 38.3
110 2.6 33.4 50.2#

