

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081721\
 Data File : VV021836.D
 Acq On : 18 Aug 2021 00:11
 Operator : SY/MD
 Sample : M3399-19
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBKD1

Quant Time: Aug 18 03:38:11 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM081621WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 18 03:33:12 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	428402	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	401226	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	189364	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	115263	34.416	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	68.840%	
7) Chloroethane-d5	1.561	69	98573	39.003	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	78.000%	
11) 1,1-Dichloroethene-d2	2.105	63	141204	26.487	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	52.980%#	
21) 2-Butanone-d5	3.876	46	212244	101.897	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	101.900%	
24) Chloroform-d	4.349	84	251822	43.399	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	86.800%	
26) 1,2-Dichloroethane-d4	5.034	65	156636	46.930	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	93.860%	
32) Benzene-d6	5.050	84	493998	42.816	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	85.640%	
36) 1,2-Dichloropropane-d6	6.072	67	164775	45.860	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	91.720%	
41) Toluene-d8	7.317	98	427455	40.083	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	80.160%	
43) trans-1,3-Dichloroprop...	7.622	79	70855	40.070	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	80.140%	
47) 2-Hexanone-d5	8.088	63	119990	101.893	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	101.890%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	228866	51.402	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	102.800%	
66) 1,2-Dichlorobenzene-d4	11.625	152	185625	47.366	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	94.740%	
Target Compounds						
					Qvalue	
13) Acetone	2.159	43	3947	2.303	ug/L #	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081721\
Data File : VV021836.D
Acq On : 18 Aug 2021 00:11
Operator : SY/MD
Sample : M3399-19
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBKD1

Quant Time: Aug 18 03:38:11 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM081621WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 18 03:33:12 2021
Response via : Initial Calibration

