

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081821\
 Data File : VV021854.D
 Acq On : 18 Aug 2021 10:17
 Operator : SY/MD
 Sample : VV0818WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK236

Quant Time: Aug 19 01:15:44 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM081621WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 19 01:14:55 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	405591	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	374556	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	181856	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	162058	51.110	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	= 102.220%	
7) Chloroethane-d5	1.561	69	124846	52.177	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	= 104.360%	
11) 1,1-Dichloroethene-d2	2.105	63	187158	37.082	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	= 74.160%	
21) 2-Butanone-d5	3.870	46	213134	108.079	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	= 108.080%	
24) Chloroform-d	4.346	84	277307	50.479	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 100.960%	
26) 1,2-Dichloroethane-d4	5.030	65	171393	54.240	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 108.480%	
32) Benzene-d6	5.050	84	594766	55.220	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 110.440%	
36) 1,2-Dichloropropane-d6	6.069	67	183459	54.696	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	= 109.400%	
41) Toluene-d8	7.317	98	534927	53.732	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	= 107.460%	
43) trans-1,3-Dichloroprop...	7.622	79	83145	50.368	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	= 100.740%	
47) 2-Hexanone-d5	8.088	63	115335	104.914	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	= 104.910%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	218314	52.523	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	= 105.040%	
66) 1,2-Dichlorobenzene-d4	11.625	152	206707	54.923	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	= 109.840%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081821\
Data File : VV021854.D
Acq On : 18 Aug 2021 10:17
Operator : SY/MD
Sample : VV0818WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK236

Quant Time: Aug 19 01:15:44 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM081621WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 19 01:14:55 2021
Response via : Initial Calibration

