

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV082018\
 Data File : VV007077.D
 Acq On : 20 Aug 2018 17:02
 Operator : SY/MD
 Sample : J4488-13
 Misc : 25.0 mL/MSVOA V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0308

Quant Time: Aug 21 05:19:29 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR080918WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Aug 21 04:05:27 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	234431	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	230262	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	91109	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	79417	5.25	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	105.00%
7) Chloroethane-d5	1.58	69	73194	5.70	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	114.00%
11) 1,1-Dichloroethene-d2	2.13	63	111394	3.92	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.40%
20) 2-Butanone-d5	3.97	46	210140	48.29	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	96.58%
24) Chloroform-d	4.41	84	169310	5.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	110.40%
26) 1,2-Dichloroethane-d4	5.09	65	87309	5.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.60%
32) Benzene-d6	5.10	84	323469	5.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	109.40%
36) 1,2-Dichloropropane-d6	6.12	67	110679	5.47	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	109.40%
41) Toluene-d8	7.37	98	237918	4.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.60%
43) trans-1,3-Dichloropropene-	7.67	79	22356	3.18	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	63.60%
46) 2-Hexanone-d5	8.15	63	74903	26.03	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	52.06%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	77591	4.92	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.40%
64) 1,2-Dichlorobenzene-d4	11.68	152	85457	5.39	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.80%


Target Compounds					Ovalue
13) Acetone	2.21	43	7055	3.15 ug/L	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV082018\
Data File : VV007077.D
Acq On : 20 Aug 2018 17:02
Operator : SY/MD
Sample : J4488-13
Misc : 25.0 mL/MSVOA V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0308

Quant Time: Aug 21 05:19:29 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR080918WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Aug 21 04:05:27 2018
Response via : Initial Calibration





#13

Acetone

Concen: 3.15 ug/L

RT: 2.21 min Scan# 410

Delta R.T. -0.00 min

Lab File: VV007077.D

Acq: 20 Aug 2018 17:02

Instrument :
MSVOA_V
ClientSampleId :
C0308

Tot Ion: 43 Resp: 7055

Ion Ratio Lower Upper

43 100

58 44.1 0.0 71.4

