

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW082323\
 Data File : VW031869.D
 Acq On : 23 Aug 2023 14:50
 Operator : SY/MD
 Sample : 04108-01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DCHN0

Quant Time: Aug 24 01:57:47 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082323WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 24 01:40:47 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.539	114	284042	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	277597	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	145627	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	77472	43.581	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	87.160%		
7) Chloroethane-d5	1.532	69	70737	45.394	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	90.780%		
11) 1,1-Dichloroethene-d2	2.060	65	36599	43.969	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	87.940%		
21) 2-Butanone-d5	3.793	46	126921	90.781	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	90.780%		
24) Chloroform-d	4.253	84	172527	44.403	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	88.800%		
26) 1,2-Dichloroethane-d4	4.947	65	118638	46.010	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	92.020%		
32) Benzene-d6	4.963	84	360035	47.531	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	95.060%		
36) 1,2-Dichloropropane-d6	5.992	67	116645	47.843	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	95.680%		
41) Toluene-d8	7.246	98	327230	46.885	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	93.760%		
43) trans-1,3-Dichloroprop...	7.558	79	58271	46.112	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	92.220%		
47) 2-Hexanone-d5	8.031	63	65024	87.016	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	87.020%		
56) 1,1,2,2-Tetrachloroeth...	10.156	84	135915	43.140	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	86.280%		
66) 1,2-Dichlorobenzene-d4	11.564	152	129971	48.959	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	97.920%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082323\
Data File : VV031869.D
Acq On : 23 Aug 2023 14:50
Operator : SY/MD
Sample : 04108-01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DCHN0

Quant Time: Aug 24 01:57:47 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082323WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 24 01:40:47 2023
Response via : Initial Calibration

