

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV082418\
 Data File : VV007179.D
 Acq On : 24 Aug 2018 19:47
 Operator : SY/MD
 Sample : J4599-17
 Misc : 5.0 mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Aug 25 00:32:47 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM082418WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 25 00:12:31 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	667074	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	656108	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	261834	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	212879	45.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.86%
7) Chloroethane-d5	1.58	69	176564	46.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.94%
11) 1,1-Dichloroethene-d2	2.13	63	291262	35.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.46%
21) 2-Butanone-d5	3.96	46	335126	95.97	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.97%
24) Chloroform-d	4.41	84	416432	45.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.58%
26) 1,2-Dichloroethane-d4	5.09	65	265148	48.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.42%
32) Benzene-d6	5.11	84	864770	46.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.80%
36) 1,2-Dichloropropane-d6	6.12	67	287674	47.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.06%
41) Toluene-d8	7.37	98	702485	42.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.62%
43) trans-1,3-Dichloropropene-	7.67	79	111064	41.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.10%
47) 2-Hexanone-d5	8.14	63	144296	74.77	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	74.77%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	374810	46.00	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.00%
64) 1,2-Dichlorobenzene-d4	11.68	152	269708	49.35	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.70%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV082418\
Data File : VV007179.D
Acq On : 24 Aug 2018 19:47
Operator : SY/MD
Sample : J4599-17
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Aug 25 00:32:47 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM082418WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 25 00:12:31 2018
Response via : Initial Calibration

