

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV082418\
 Data File : VV007177.D
 Acq On : 24 Aug 2018 18:58
 Operator : SY/MD
 Sample : VV0824WBL01
 Misc : 5.0 mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK63

Quant Time: Aug 25 00:22:44 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM082418WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 25 00:12:31 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	656219	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	628696	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	257266	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	227821	49.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	98.84%
7) Chloroethane-d5	1.58	69	186410	49.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.74%
11) 1,1-Dichloroethene-d2	2.13	63	305464	38.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.18%
21) 2-Butanone-d5	3.96	46	358002	104.22	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.22%
24) Chloroform-d	4.41	84	443142	49.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.06%
26) 1,2-Dichloroethane-d4	5.09	65	278600	51.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.98%
32) Benzene-d6	5.11	84	923782	51.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.44%
36) 1,2-Dichloropropane-d6	6.12	67	301564	51.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.90%
41) Toluene-d8	7.37	98	750240	47.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.42%
43) trans-1,3-Dichloropropene-	7.67	79	122392	47.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.58%
47) 2-Hexanone-d5	8.14	63	160631	86.86	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.86%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	385764	49.41	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.82%
64) 1,2-Dichlorobenzene-d4	11.68	152	282444	52.60	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.20%

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV082418\
Data File : VV007177.D
Acq On : 24 Aug 2018 18:58
Operator : SY/MD
Sample : VV0824WBL01
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK63

Quant Time: Aug 25 00:22:44 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM082418WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 25 00:12:31 2018
Response via : Initial Calibration

