

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082423\
 Data File : VV031914.D
 Acq On : 24 Aug 2023 17:10
 Operator : SY/MD
 Sample : 04158-04
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AQ6

Quant Time: Aug 25 00:59:44 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR082323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 25 00:56:34 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.542	114	112290	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	104928	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.191	152	54912	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	17443	4.599	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.000%
7) Chloroethane-d5	1.535	69	21528	4.955	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.200%
11) 1,1-Dichloroethene-d2	2.063	65	10602	4.750	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	95.000%
20) 2-Butanone-d5	3.815	46	117237	63.859	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	127.720%
24) Chloroform-d	4.256	84	62372	4.859	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.200%
26) 1,2-Dichloroethane-d4	4.950	65	33290	5.033	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.600%
32) Benzene-d6	4.966	84	123208	5.160	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.200%
36) 1,2-Dichloropropane-d6	5.995	67	42467	5.044	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.800%
41) Toluene-d8	7.249	98	110103	4.969	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.400%
43) trans-1,3-Dichloroprop...	7.561	79	14321	4.664	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.200%
46) 2-Hexanone-d5	8.030	63	90506	55.290	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	110.580%
56) 1,1,2,2-Tetrachloroeth...	10.159	84	33174	5.492	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	109.800%
66) 1,2-Dichlorobenzene-d4	11.567	152	44108	4.960	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.200%
Target Compounds						Qvalue
47) Tetrachloroethene	7.908	164	390399	86.509	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082423\
Data File : VV031914.D
Acq On : 24 Aug 2023 17:10
Operator : SY/MD
Sample : 04158-04
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 64 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AQ6

Quant Time: Aug 25 00:59:44 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR082323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Aug 25 00:56:34 2023
Response via : Initial Calibration

