

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV082518\
 Data File : VV007208.D
 Acq On : 25 Aug 2018 16:56
 Operator : SY/MD
 Sample : VIBLK71
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK71

Quant Time: Aug 27 02:42:27 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM082418WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Aug 27 01:23:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	656374	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	658541	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	272150	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	205452	44.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.12%
7) Chloroethane-d5	1.58	69	178157	47.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.30%
11) 1,1-Dichloroethene-d2	2.13	63	283872	35.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.78%
21) 2-Butanone-d5	3.96	46	341742	99.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.46%
24) Chloroform-d	4.41	84	435419	48.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.32%
26) 1,2-Dichloroethane-d4	5.09	65	277164	51.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.42%
32) Benzene-d6	5.11	84	871964	46.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.22%
36) 1,2-Dichloropropane-d6	6.12	67	292778	47.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.38%
41) Toluene-d8	7.37	98	700364	42.52	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.04%
43) trans-1,3-Dichloropropene-	7.67	79	115799	43.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.32%
47) 2-Hexanone-d5	8.14	63	153694	79.35	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	79.35%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	388782	47.54	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.08%
64) 1,2-Dichlorobenzene-d4	11.68	152	281001	49.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.94%

Target Compounds					Ovalue
5) Vinyl chloride	1.32	62	9383	1.70 ug/L	# 69

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV082518\
Data File : VV007208.D
Acq On : 25 Aug 2018 16:56
Operator : SY/MD
Sample : VIBLK71
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK71

Quant Time: Aug 27 02:42:27 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM082418WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Aug 27 01:23:53 2018
Response via : Initial Calibration

