

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV082520\
 Data File : VV018093.D
 Acq On : 25 Aug 2020 12:49
 Operator : SY/MD
 Sample : L3789-08ME
 Misc : 6.10µ/5.0mL/100µL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFS3L3ME

Quant Time: Aug 26 02:29:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 26 02:11:17 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	289906	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	292935	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	138317	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	101592	45.93	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.86%
7) Chloroethane-d5	1.57	69	74548	41.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.38%
11) 1,1-Dichloroethene-d2	2.10	63	152011	35.93	ug/L	-0.02
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.86%
21) 2-Butanone-d5	3.92	46	114618	79.12	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	79.12%
24) Chloroform-d	4.37	84	189309	47.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.04%
26) 1,2-Dichloroethane-d4	5.05	65	128903	49.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.58%
32) Benzene-d6	5.07	84	384475	47.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.24%
36) 1,2-Dichloropropane-d6	6.09	67	125663	47.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.22%
41) Toluene-d8	7.34	98	350299	48.25	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.50%
43) trans-1,3-Dichloropropene-	7.64	79	59728	49.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.78%
47) 2-Hexanone-d5	8.14	63	69573	82.14	ug/L	0.03
Spiked Amount	100.000	Range	45 - 130	Recovery	=	82.14%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	145415	42.31	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.62%
64) 1,2-Dichlorobenzene-d4	11.65	152	139735	51.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.66%

Target Compounds					Ovalue
46) Tetrachloroethene	8.00	164	94750	53.930 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV082520\
Data File : VV018093.D
Acq On : 25 Aug 2020 12:49
Operator : SY/MD
Sample : L3789-08ME
Misc : 6.10g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFSL3ME

Quant Time: Aug 26 02:29:17 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM081120WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 26 02:11:17 2020
Response via : Initial Calibration

