

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082521\
 Data File : VV021940.D
 Acq On : 25 Aug 2021 10:25
 Operator : SY/MD
 Sample : VV0825WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK237

Quant Time: Aug 26 05:17:47 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM081621WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 26 05:17:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	387075	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	369049	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	188729	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	116613	38.537	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.080%
7) Chloroethane-d5	1.565	69	96909	42.438	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.880%
11) 1,1-Dichloroethene-d2	2.105	63	153898	31.950	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.900%
21) 2-Butanone-d5	3.870	46	189553	100.719	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.720%
24) Chloroform-d	4.346	84	229434	43.763	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.520%
26) 1,2-Dichloroethane-d4	5.031	65	145215	48.153	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.300%
32) Benzene-d6	5.047	84	486072	45.802	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.600%
36) 1,2-Dichloropropane-d6	6.069	67	156363	47.313	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.620%
41) Toluene-d8	7.317	98	456196	46.508	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.020%
43) trans-1,3-Dichloroprop...	7.622	79	70566	43.386	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.780%
47) 2-Hexanone-d5	8.088	63	112808	104.147	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.150%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	192284	46.951	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.900%
66) 1,2-Dichlorobenzene-d4	11.625	152	188512	48.265	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.520%
Target Compounds						
25) Chloroform	4.371	83	9859	1.917	ug/L	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082521\
Data File : VV021940.D
Acq On : 25 Aug 2021 10:25
Operator : SY/MD
Sample : VV0825WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK237

Quant Time: Aug 26 05:17:47 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM081621WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 26 05:17:05 2021
Response via : Initial Calibration

