

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV082522\  
 Data File : VV027495.D  
 Acq On : 25 Aug 2022 09:49  
 Operator : SY/MD  
 Sample : VV0825WBL01  
 Misc : 25.0mL/MSVOA\_V/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 VBLK211

Quant Time: Aug 26 00:59:26 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR081922WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Fri Aug 26 00:58:54 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 5.612  | 114   | 123923   | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 8.850  | 117   | 119070   | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.246 | 152   | 53313    | 5.000    | ug/L  | 0.00     |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.304  | 65    | 34746    | 3.940    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 78.800%  |
| 7) Chloroethane-d5            | 1.564  | 69    | 37311    | 5.780    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 115.600% |
| 11) 1,1-Dichloroethene-d2     | 2.105  | 63    | 69779    | 3.393    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 67.800%  |
| 20) 2-Butanone-d5             | 3.889  | 46    | 37585    | 34.243   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 68.480%  |
| 24) Chloroform-d              | 4.342  | 84    | 75688    | 4.292    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 85.800%  |
| 26) 1,2-Dichloroethane-d4     | 5.027  | 65    | 35135    | 4.605    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 92.200%  |
| 32) Benzene-d6                | 5.043  | 84    | 141437   | 4.289    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 85.800%  |
| 36) 1,2-Dichloropropane-d6    | 6.066  | 67    | 43142    | 4.499    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 90.000%  |
| 41) Toluene-d8                | 7.313  | 98    | 113832   | 3.823    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 76.400%  |
| 43) trans-1,3-Dichloroprop... | 7.625  | 79    | 11089    | 3.378    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 67.600%  |
| 46) 2-Hexanone-d5             | 8.088  | 63    | 41590    | 38.484   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 76.960%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.214 | 84    | 25881    | 4.238    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 84.800%  |
| 66) 1,2-Dichlorobenzene-d4    | 11.622 | 152   | 37883    | 4.793    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 95.800%  |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV082522\  
Data File : VV027495.D  
Acq On : 25 Aug 2022 09:49  
Operator : SY/MD  
Sample : VV0825WBL01  
Misc : 25.0mL/MSVOA\_V/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
VBLK211

Quant Time: Aug 26 00:59:26 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR081922WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Fri Aug 26 00:58:54 2022  
Response via : Initial Calibration

