

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082522\
 Data File : VV027497.D
 Acq On : 25 Aug 2022 16:11
 Operator : SY/MD
 Sample : N4370-14
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F5F31

Quant Time: Aug 26 00:59:57 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081922WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 26 00:58:54 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	119820	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	119137	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	55349	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	31280	3.668	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	73.400%	
7) Chloroethane-d5	1.564	69	33802	5.416	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	108.400%	
11) 1,1-Dichloroethene-d2	2.105	63	59036	2.969	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	59.400%#	
20) 2-Butanone-d5	3.899	46	59701	56.255	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	112.500%	
24) Chloroform-d	4.346	84	70281	4.122	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	82.400%	
26) 1,2-Dichloroethane-d4	5.034	65	32342	4.384	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	87.600%	
32) Benzene-d6	5.047	84	131606	3.988	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	79.800%	
36) 1,2-Dichloropropane-d6	6.069	67	41501	4.326	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	86.600%	
41) Toluene-d8	7.313	98	104734	3.515	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	70.400%	
43) trans-1,3-Dichloroprop...	7.625	79	11936	3.634	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	72.600%	
46) 2-Hexanone-d5	8.088	63	44975	41.592	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	83.180%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	26589	4.352	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	87.000%	
66) 1,2-Dichlorobenzene-d4	11.625	152	35808	4.364	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	87.200%	
Target Compounds						Qvalue
47) Tetrachloroethene	7.976	164	2497	0.307	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082522\
Data File : VV027497.D
Acq On : 25 Aug 2022 16:11
Operator : SY/MD
Sample : N4370-14
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5F31

Quant Time: Aug 26 00:59:57 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR081922WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Aug 26 00:58:54 2022
Response via : Initial Calibration

